

Contents

What is the NASA University Student Launch Initiative?	2
Proposal/Statement of Work	
1 Toposal/Statement of Work	
Timeline for the USLI Project	
Vehicle/Payload Criteria	
Preliminary Design Review (PDR)Vehicle and Payload Experiment Criteria	
Safety	
High Power Rocket Safety Code Failures, Hazards and Risk Understanding MSDS's	45
Awards	
USLI Competition Awards	86
Procurement and Finances	
Procurement and Finances Information Needed to Register (Cage Code) Frequently Asked Questions (FAQ) 52.212-3 Offeror Representations and Certifications—Commercial Items (May 2011) Consideration and Payment Delivery Schedule Solicitation/Contract/Order for Commercial Items	
ACH Vendor/Miscellaneous Payment Enrollment Form	113

What is the NASA University Student Launch Initiative?

The NASA University Student Launch Initiative (USLI) involves students in designing, building and testing reusable rockets with associated scientific payloads. This unique hands-on experience allows students to demonstrate proof-of-concept for their designs and gives previously abstract concepts tangibility.

Both new and returning teams compete to construct the vehicle that is designed to reach an altitude of one mile above ground level (AGL). In addition to actual vehicle performance, teams are also evaluated on design and other criteria. This educational experience culminates with a launch in the spring.

Proposal/ Statement of Work



Timeline for the USLI Project

(Dates are subject to change.)

August 2011:

5 Request for proposal goes out to all teams.

September 2011:

One electronic copy of the completed proposal due to NASA MSFC.

Send Electronic Copy to: edward.m.jeffries@nasa.gov

Jacobs ESTS Group

julie.d.clift@nasa.gov

NASA MSFC

October 2011:

17 Schools notified of selection

21 USLI Team teleconference (tentative)

November 2011:

4 Web presence established for each team.

28 Preliminary Design Review (PDR) report and PDR presentation slides

posted on the team Web site by 8:00 a.m. Central Time.

December 2011:

5–14 Preliminary Design Review Presentations (tentative)

January 2012:

23 Critical Design Review (CDR) reports and CDR presentation slides

posted on the team Web site by 8:00 a.m. Central Time.

February 2012:

1-10 Critical Design Review Presentations (tentative)

March 2012:

26 Flight Readiness Review (FRR) reports and FRR presentation slides

posted on the team Web site by 8:00 a.m. Central Time.

April 2012:

2–11 Flight Readiness Review Presentations (tentative)

18 Travel to Huntsville

19–20 Flight Hardware and Safety Checks (tentative)

21 Launch Day

May 2012:

7 Post-Launch Assessment Review (PLAR)

posted on the team Web site by 8:00 a.m. Central Time.

18 Announcement of winning USLI team.

Design, Development, and Launch of a Reusable Rocket and Science Payload Statement of Work

NASA University Student Launch Initiative (USLI)
Academic Affairs Office
Period of Performance – Eight (8) months

The Academic Affairs Office at the NASA Marshall Space Flight Center (MSFC) will partner with universities to sponsor the NASA University Student Launch Initiative (USLI) rocket and payload teams during academic year 2011–2012. The NASA USLI is designed to engage students at the university level in a learning opportunity that involves design, construction, test, and launch of a reusable launch vehicle and science-related payload. The initiative is intended to encourage students to pursue careers in engineering or science-related fields. Teaming with engineers from government, business, and academia, students get a hands-on, inside look at the science and engineering professions. The selected universities will sponsor student teams who will each build and launch a reusable rocket carrying the students' science payload that will launch in the spring of 2012.

USLI is a rocket and payload-building challenge designed for university students. It requires an eight (8) month commitment to successfully design, construct, test, launch, and recover a reusable rocket and science payload. The initiative is more than designing and building a rocket from a commercial kit. It involves diverse aspects such as: scheduling, purchasing, performing calculations, financing the project, coordinating logistics, arranging press coverage, educational engagement, Web site development, and documenting impact made on education through reports and design reviews. Universities are encouraged to involve a diverse group of departments such as engineering, mathematics, science, technology, English, journalism, and art.

All teams, new and returning, must propose to be a part of the USLI project. All accepted teams will be required to adhere to the requirements for all formal reviews. These include a Preliminary Design Review (PDR), Critical Design Review (CDR), Flight Readiness Review (FRR), Post-Launch Assessment Review (PLAR), and other reviews as assigned.

The performance targets for the reusable launch vehicle and payload are as follows:

- 1. The launch vehicle shall carry a science or engineering payload following one of two options:
 - a. Option 1: The engineering or science payload may be of the team's discretion.
 - b. Option 2: The Science Mission Directorate (SMD) at NASA HQ will provide a \$3,000 sponsorship to any team that chooses to build and fly a deployable science payload meeting the following criteria:
 - The payload shall gather data for studying the atmosphere during descent and after landing. Measurements shall include pressure, temperature, relative humidity, solar irradiance and ultraviolet radiation. Measurements shall be made at least every 5 seconds during descent and every 60 seconds after landing. Surface data collection operations will terminate 10 minutes after landing.
 - The payload shall take at least 2 pictures during descent and 3 after landing.
 - The payload shall remain in an orientation during descent and after landing such that the pictures taken portray the sky toward the top of the frame and the ground toward the bottom of the frame
 - The data from the payload shall be stored onboard and transmitted wirelessly to the team's ground station at the time of completion of all surface operations.

- Separation of payload components at apogee will be allowed, but not advised. Separating at apogee increases the risk of drifting outside of the recovery area. The payload shall carry a GPS tracking unit. Minimum separation altitude shall be 2,500 ft.
- 2. The launch vehicle shall deliver the science or engineering payload to, but not exceeding, an altitude of 5,280 feet. above ground level (AGL). One point will be deducted for each foot achieved below the target altitude. Two points will be deducted for each foot achieved above the target altitude. Any team whose vehicle travels over 5,600 ft. according to their competition altimeter will be disqualified from being able to receive the overall competition award and will receive a score of zero for the altitude portion of their total score.
- 3. The vehicle shall carry one Perfect Flight MAWD or ALT15 altimeter for recording of the official altitude used in the competition scoring. Teams may have additional altimeters to control vehicle electronics and payload experiments. At the flight hardware and safety check, a NASA official will mark the altimeter which will be used for the official scoring. At the launch field, a NASA official will also obtain the altitude by listening to the audible beeps reported by the altimeter. The following circumstances will warrant a score of zero for the altitude portion of the competition:
 - a. The official, marked altimeter is damaged and/or does not report an altitude after the team's competition flight.
 - b. The team does not report to the NASA official designated to record the altitude with their official marked altimeter by 5:00 pm on the day of the launch.
- 4. The recovery system electronics shall have the following characteristics:
 - a. The recovery system shall be designed to be armed on the pad.
 - b. The recovery system electronics shall be completely independent of the payload electronics.
 - c. The recovery system shall contain redundant altimeters. The term "altimeters" includes both simple altimeters and more sophisticated flight computers.
 - d. Each altimeter shall be armed by a dedicated arming switch.
 - e. Each altimeter shall have a dedicated battery.
 - f. Each arming switch shall be accessible from the exterior of the rocket airframe.
 - g. Each arming switch shall be capable of being locked in the ON position for launch.
 - h. Each arming switch shall be a maximum of six (6) feet above the base of the launch vehicle.
- 5. The recovery system electronics shall be shielded from all onboard transmitting devices, to avoid inadvertent excitation of the recovery system by the transmitting device(s).
- 6. The launch vehicle and science or engineering payload shall remain subsonic from launch until landing.
- 7. The launch vehicle and science or engineering payload shall be designed to be recoverable and reusable. Reusable is defined as being able to be launched again on the same day without repairs or modifications.
- 8. The launch vehicle shall stage the deployment of its recovery devices, where a drogue parachute is deployed at apogee and a main parachute is deployed at a much lower altitude. Tumble recovery from apogee to main parachute deployment is permissible, provided that the kinetic energy is reasonable.
- 9. Removable shear pins shall be used for both the main parachute compartment and the drogue parachute compartment.

- 10. The launch vehicle shall have a maximum of four (4) independent or tethered sections.
 - a. At landing, each independent or tethered sections of the launch vehicle shall have a maximum kinetic energy of 75 ft-lbf.
 - b. All independent or tethered sections of the launch vehicle shall be designed to recover with 2,500 feet of the launch pad, assuming a 15 mph wind.
- 11. The launch vehicle shall be capable of being prepared for flight at the launch site within 2 hours, from the time the waiver opens.
- 12. The launch vehicle shall be capable of remaining in launch-ready configuration at the pad for a minimum of 1 hour without losing the functionality of any onboard component.
- 13. The launch vehicle shall be launched from a standard firing system (provided by the Range) using a standard 10 second countdown
- 14. The launch vehicle shall require no external circuitry or special ground support equipment to initiate the launch (other than what is provided by the Range).
- 15. Data from the science or engineering payload shall be collected, analyzed, and reported by the team following the scientific method.
- 16. An electronic tracking device shall be installed in each independent section of the launch vehicle and shall transmit the position of that independent section to a ground receiver. Audible beepers may be used in conjunction with an electronic, transmitting device, but shall not replace the transmitting tracking device.
- 17. The launch vehicle shall use a commercially available solid motor propulsion system using ammonium perchlorate composite propellant (APCP) which is approved and certified by the National Association of Rocketry (NAR), Tripoli Rocketry Association (TRA) and/or the Canadian Association of Rocketry (CAR).
- 18. The total impulse provided by the launch vehicle shall not exceed 5,120 Newton-seconds (L-class). This total impulse constraint is applicable to any combination of one or more motors.
- 19. All teams shall successfully launch and recover their full scale rocket prior to FRR in its final flight configuration.
 - a. The purpose of the full scale demonstration flight is to demonstrate the launch vehicle's stability, structural integrity, recovery systems, and the team's ability to prepare the launch vehicle for flight.
 - b. The vehicle and recovery system shall have functioned as designed.
 - c. The payload does not have to be flown during the full-scale test flight.
 - If the payload is not flown, mass simulators shall be used to simulate the payload mass.
 - If the payload changes the external surfaces of the launch vehicle (such as with camera housings and/or external probes), those devices must be flown during the full scale demonstration flight.
 - d. The full scale motor does not have to be flown during the full scale test flight. However, it is recommended that the full scale motor be used to demonstrate full flight readiness and altitude verification.
 - e. The success of the full scale demonstration flight shall be documented on the flight certification form, by a Level 2 NAR/TRA observer.
 - f. After successfully completing the full-scale demonstration flight, the launch vehicle or any of its components shall not be modified without the concurrence of the NASA Range Safety Officer.

- 20. The following items are prohibited from use in the launch vehicle:
 - a. Flashbulbs. The recovery system must use commercially available low-current electric matches.
 - b. Forward canards.
 - c. Forward firing motors.
 - d. Rear ejection parachute designs.
 - e. Motors which expel titanium sponges (Sparky, Skidmark, MetalStorm, etc.).
 - f. Hybrid motors.
- 21. Each team shall use a launch and safety checklist. The final checklist shall be included in the FRR report and used during the flight hardware and safety inspection and launch day.
- 22. Students on the team shall do 100% of the work on the project, including design, construction, written reports, presentations, and flight preparation with the exception of assembling the motors and handling black powder charges.
- 23. The rocketry mentor supporting the team shall have been certified by NAR or TRA for the motor impulse of the launch vehicle, and the rocketeer shall have flown and successfully recovered (using electronic, staged recovery) a minimum of 15 flights in this or a higher impulse class, prior to PDR.
- 24. The maximum amount teams may spend on the rocket and payload is \$5000 total. The cost is for the competition rocket as it sits on the pad, including all purchased components and materials and the fair market value of all donated components and materials. The following items may be omitted from the total cost of the vehicle:
 - a. Shipping costs.
 - b. Ground Support Equipment.
 - c. Team labor.

At a minimum, the proposing team shall identify the following in a written proposal due to NASA MSFC by September 26, 2011:

School Information

- 1. Name of school/organization and title of project.
- Name and title of the administrative staff member (this person will be referred to as the "team official") dedicated to the project.
- 3. Name and title of the individual who will take responsibility for implementation of the safety plan. (Safety Officer)
- 4. Approximate number of student participants who will be committed to the project and their proposed duties. Include an outline of the project organization that identifies the key managers (students and/or administrators) and the key technical personnel. Short resumes should be included in the report for these key positions. Only use first names for identifying team members; do not include surnames.
- 5. Name of the NAR/TRA section the team is associating with for launch assistance, mentoring and reviewing.

Facilities/Equipment

1. Description of facilities and hours of accessibility that will be used for the design, manufacture, and test of the rocket components, the rocket, and the science payload.

- 2. Necessary personnel, facilities, equipment, and supplies that are required to design and build a competitive rocket and payload. The team shall make provisions for verifying the altitude of the rocket.
- 3. Computer Equipment: Describe the type of computer equipment accessible to participants for communications; for designing, building and hosting a team Web site; and for document development to support design reviews. The team shall provide and maintain a Web presence where the status of the project will be posted, as well as a list of needed materials and/or expertise. The team official will provide the capability to communicate via e-mail on a daily basis with the NASA USLI Project Office. The information technology identified could include computer hardware, computer-aided drafting (CAD) system capability, Internet access, e-mail capability, and presentation simulation software

The team shall provide additional computer equipment needed to perform WebEx video teleconferencing. Minimum requirements include the following:

- Windows, Mac, Linux, Unix, or Solaris computer systems.
- Broadband internet connection
- Speakerphone capabilities in close proximity to the computer.
- USB Webcam or analog video camera.
- Personal name and contact information for WebEx/connectivity issues.
- 4. USLI teams must implement the Architectural and Transportation Barriers Compliance Board Electronic and Information Technology (EIT) Accessibility Standards (36 CFR Part 1194) (http://www.acquisition.gov/far/current/html/Subpart%2039 2.html#wp1004775)

Subpart B-Technical Standards (http://www.section508.gov/index.cfm?FuseAction=Content&ID=12):

- 1194.21 Software applications and operating systems. (a-l)
- 1194.22 Web-based intranet and internet information and applications. 16 rules (a-p)
- 1194.26 Desktop and portable computers. (a-d)

Safety

The Federal Aviation Administration (FAA) [www.faa.gov] has specific laws governing the use of airspace. A demonstration of the understanding and intent to abide by the applicable federal laws (especially as related to the use of airspace at the launch sites and the use of combustible/ flammable material), safety codes, guidelines, and procedures for building, testing, and flying large model rockets is crucial. The procedures and safety regulations of the NAR [http://www.nar.org/safety.html] should be used for flight design and operations. The team official and NAR/TRA mentors shall oversee launch operations and motor handling.

- 1. Each team is responsible for contacting their local NAR or TRA section and establishing a relationship with a currently certified level 2 or 3 NAR/TRA mentor. This person's name and contact information should be included as a team member. The NAR/TRA mentor will be instrumental in helping the team learn sport rocketry practices and will be responsible for safety inspections. The NAR/TRA team member is designated as the individual owner of the rocket for liability purposes and MUST accompany the team to the USLI launch in April. A stipend will be provided.
- 2. Provide a written safety plan addressing the safety of the materials used, facilities involved, and person responsible for insuring that the plan is followed. A risk assessment should be done for all these aspects in addition to proposed mitigations. Identification of risks to the successful completion of the project should be included.

Please include the following safety requirements in your report:

- a. Provide a description of the procedures for NAR/TRA personnel to perform. Ensure the following:
 - Compliance with NAR high power safety code requirements [http://nar.org/NARhpsc.html].
 - Performance of all hazardous materials handling and hazardous operations.
- b. Describe the plan for briefing students on hazard recognition and accident avoidance, and conducting pre-launch briefings.
- c. Describe methods to include necessary caution statements in plans, procedures and other working documents.

For example: Control of all hazardous materials (applicable MSDS: Materials Safety Data Sheets (MSDS) for your project must be included in your proposal under safety plan).

- 3. Each team shall provide evidence that they are cognizant of federal, state, and local laws regarding unmanned rocket launches and motor handling. Specifically, regarding the use of airspace, Federal Aviation Regulations 14 CFR, Subchapter F, Part 101, Subpart C; the handling and use of low-explosives (Ammonium Perchlorate Rocket Motors, APCP), Code of Federal Regulation 27 Part 55: Commerce in Explosives; and fire prevention, NFPA 1127 "Code for High Power Rocket Motors."
- 4. Each school team shall provide a plan to possess the capability to purchase, store, transport, and use rocket motors.
- 5. Each team traveling to Huntsville for a rocket launch shall describe in detail their plan to maintain full control of their motor(s), per all applicable federal laws, from purchase of the motors until the motors are used.
- 6. A written statement that all team members understand and will abide by the following safety regulations:
 - a. Range safety inspections of each rocket before it is flown. Each team shall comply with the determination of the safety inspection.
 - b. The Range Safety Officer has the final say on all rocket safety issues. Therefore, the Range Safety Officer has the right to deny the launch of any rocket for safety reasons.
 - c. Any team that does not comply with the safety requirements will not be allowed to launch their rocket.

Technical Design

- 1. A proposed and detailed approach to rocket and payload design.
 - a. Include projected general vehicle dimensions
 - b. Include projected motor type and size
 - c. Include a projected science payload
 - d. Address the primary requirements for rocket and payload
 - e. Include major challenges and solutions.

Educational Engagement

1. Provide a written plan for soliciting additional "community support," which could include, but is not limited to, expertise needed, additional equipment/supplies, monetary donations, services (such as free shipping for launch vehicle components, if required, advertisement of the event, etc.), or partnering with industry or other public, private, or parochial schools.

2. Include plans for at least two educational projects that engage a combined total of 100 or more middle school educators or students in a hands-on rocketry to be completed prior to launch week, April 18, 2012. Comprehensive feedback on the activities must be developed and submitted along with an educational engagement form. The Educational Engagement form will need to be completed and submitted within two weeks after completion of an event. A sample of the Educational Engagement form can be found on page 29 of this book.

Project Plan

- 1. Provide a top-level development schedule/timeline which should outline the project milestones and the basic schedule for designing, building, testing, and launching the rocket and payload(s).
- 2. Provide a budget plan for all proposed activities including travel. This should include a detailed plan on how the project will be funded.

Second Year or Returning Teams should also include the following:

- Develop a clear plan for sustainability of the rocket project in the local area. This plan should include how to
 provide and maintain established partnerships and regularly engage successive classes of students in rocketry. It should also include partners (industry/community), recruitment of students, funding sustainability, and
 educational engagement.
- 2. A similar rocket project can be proposed if the team is mostly new students who were not involved in the previous year's work, but this needs to be shown. Otherwise the team of returning students must propose an advanced project appropriate to a second year of expertise. Keep in mind that veteran teams get no preference in the evaluations and must still compete against all of the other universities. All reviews must have the required level of detail and must not assume that board/panel members remember what had been accomplished the previous year. Repeat projects are discouraged.

Prior to award, all proposing entities may be required to brief NASA representatives. The time and the place for the briefings will be determined by the NASA/MSFC Academic Affairs Office.

Deliverables shall include:

- 1. A reusable rocket and science or engineering payload (available for NASA MSFC display) ready for launch in April 2012.
- 2. A scale model of the rocket design with a payload prototype. This model should be flown prior to the CDR. A report of the data from the flight and the model should be brought to the CDR.
- 3. Reports and PowerPoint presentations due on November 28, 2011, January 23 and March 26, 2012 shall be submitted to the Academic Affairs Office on schedule. Reports and presentations must also be posted on the team Web site by the due date. (Dates are tentative at this point. Final dates will be announced at the time of award.)
- 4. The PLAR for the rocket and payload shall be due to the MSFC Academic Affairs Office no later than May 7, 2012, prior to receiving final incremental funding.
- 5. The team(s) shall have a Web presence no later than November 4, 2011. The Web site shall be maintained/updated throughout the period of performance. It will be judged at random times throughout the year.
- 6. Copies of any other products developed (journal, 3-D animation, media coverage, video, scrapbook, etc.) shall be displayed during launch.

- 7. An electronic copy of the comprehensive report pertaining to the implemented educational engagement or activities shall be submitted prior to the launch in April 2012.
- 8. A safety plan outlining how NAR safety requirements will be implemented and how safety will be incorporated into all manufacturing, testing, and launching activities. The risk assessment will include such things as (but not limited to): risks associated with faculty support, school support, financial/sponsor support, use of facilities, partnering arrangements, schedule risks, risks associated with chosen designs. This will be updated throughout the program and presented at the CDR and FRR. The initial plan will be due with the PDR on November 28, 2011. (This date is tentative. Final date will be announced at time of award.)
- 9. A reusable rocket and science payload (available for NASA MSFC display) ready for launch in April 2011.

The team(s) shall participate in a PDR (November 2011), CDR (January 2012), FRR (March 2012), and Launch (April 21, 2012). (Dates are tentative and subject to change.)

The CDR, and FRR will be presented to NASA at a time and location to be determined by NASA/MSFC Academic Affairs Office. The presentation will be done using WebEx video teleconferencing and PowerPoint presentations and should be available on the team Web site on the dates listed in the time line for the USLI project.

Vehicle/ Payload Criteria



Preliminary Design Review (PDR)

Vehicle and Payload Experiment Criteria

The PDR demonstrates that the overall preliminary design meets all requirements with acceptable risk and within the cost and schedule constraints and establishes the basis for proceeding with detailed design. It shows that the correct design options have been selected, interfaces have been identified, and verification methods have been described. Full baseline cost and schedules, as well as all risk assessment, management systems, and metrics, are presented.

The panel will be expecting a professional and polished report. Please use Arial, size 12 font for your PDR Report. It is advised to follow the order of sections as they appear below.

Preliminary Design Review Report

I) Summary of PDR report (1 page maximum)

Team Summary

- Team name
- Location
- Team official/mentors

Launch Vehicle Summary

- Size
- Motor choice
- Recovery system
- Launch vehicle fly sheet

Payload Summary

Summarize experiment

II) Changes made since Proposal (1-2 pages maximum)

Highlight all changes made since the proposal and the reason for those changes.

- Changes made to vehicle criteria
- Changes made to payload criteria
- Changes made to activity plan

III) Vehicle Criteria

Selection, Design, and Verification of Launch Vehicle

- Include a mission statement, requirements, and mission success criteria.
- Include a major milestone schedule (project initiation, design, manufacturing, verification, operations, and major reviews).
- Review the design at a system level, going through each system's functional requirements (includes sketches of options, selection rationale, selected concept, and characteristics).
- Describe the subsystems that are required to accomplish the overall mission.
- Describe the performance characteristics for the system and subsystems and determine the evaluation and verification metrics.

- Describe the verification plan and its status. At a minimum, a table should be included that lists each
 requirement (from pages 5, 6, 7, and 8), and for each requirement briefly describe the design feature that
 will satisfy that requirement and how that requirement will ultimately be verified (such as by inspection,
 analysis, and/or test.)
- Define the risks and the plans for reducing the risks through analysis or testing for each system. A risk
 plot that clearly portrays the risk mitigation schedule is highly encouraged. Take all factors that might
 affect the project including risks associated with testing, delivery of parts, adequate personnel, school
 holidays, budget costs, etc. Demonstrate an understanding of all components needed to complete the
 project and how risks/delays impact the project.
- Demonstrate planning of manufacturing, verification, integration, and operations. (Include component testing, functional testing, or static testing).
- Describe the confidence and maturity of design.
- Include a dimensional drawing of entire assembly. The drawing set should include drawings of the entire launch vehicle, compartments within the launch vehicle (such as parachute bays, payload bays, and electronics bays), and significant structural design features of the launch vehicle (such as fins and bulkheads).
- Include electrical schematics for the recovery system.
- Include a Mass Statement. Discuss the estimated mass of the launch vehicle, its subsystems, and components. What is the basis of the mass estimate and how accurate is it? Discuss how much margin there is before the vehicle becomes too heavy to launch with the identified propulsion system. Are you holding any mass in reserve (i.e., are you planning for any mass growth as the design matures)? If so, how much? As a point of reference, a reasonable rule of thumb is that the mass of a new product will grow between 25 and 33% between PDR and the delivery of the final product.

Recovery Subsystem

- Demonstrate that analysis has begun to determine size for mass, attachment scheme, deployment process, and test results with ejection charge and electronics.
- Discuss the major components of the recovery system (such as the parachutes, parachute harnesses, attachment hardware, and bulkheads).

Mission Performance Predictions

- State mission performance criteria.
- Show flight profile simulations, altitude predictions with simulated vehicle data, component weights, and simulated motor thrust curve.
- Show stability margin, simulated Center of Pressure (CP)/Center of Gravity (CG) relationship and locations.
- Calculate the kinetic energy at landing for each independent and tethered section of the launch vehicle.
- Calculate the drift for each independent section of the launch vehicle from the launch pad for five different cases: no wind, 5-mph wind, 10-mph wind, 15-mph wind, and 20-mph wind.

Interfaces and Integration

- Describe payload integration plan with an understanding that the payload must be co-developed with the vehicle, be compatible with stresses placed on the vehicle, and integrate easily and simply.
- Describe the interfaces that are internal to the launch vehicle, such as between compartments and subsystems of the launch vehicle.
- Describe the interfaces between the launch vehicle and the ground (mechanical, electrical, and/or wireless/transmitting).
- Describe the interfaces between the launch vehicle and the ground launch system.

Launch Operation Procedures

- Determine what type of launch system and platform will be used.
- Develop an outline of final assembly and launch procedures.

Safety and Environment (Vehicle)

- Identify a safety officer for your team.
- Provide a preliminary analysis of the failure modes of the proposed design of the rocket, payload integration, and launch operations, including proposed and completed mitigations.
- Provide a listing of personnel hazards and data demonstrating that safety hazards have been researched, such as material safety data sheets, operator's manuals, and NAR regulations, and that hazard mitigations have been addressed and enacted.
- Discuss any environmental concerns.

IV) Payload Criteria

Selection, Design, and Verification of Payload Experiment

- Review the design at a system level, going through each system's functional requirements (includes sketches of options, selection rationale, selected concept, and characteristics).
- Describe the payload subsystems that are required to accomplish the payload objectives.
- Describe the performance characteristics for the system and subsystems and determine the evaluation and verification metrics.
- Describe the verification plan and its status. At a minimum, a table should be included that lists each
 payload requirement and for each requirement briefly describe the design feature that will satisfy that
 requirement and how that requirement will ultimately be verified (such as by inspection, analysis,
 and/or test).
- Describe preliminary integration plan.
- Determine the precision of instrumentation, repeatability of measurement, and recovery system.
- Include drawings and electrical schematics for the key elements of the payload.
- Discuss the key components of the payload and how they will work together to achieve the desired results for the experiment.

Payload Concept Features and Definition

- Creativity and originality
- Uniqueness or significance
- Suitable level of challenge

Science Value

- Describe payload objectives.
- State the payload success criteria.
- Describe the experimental logic, approach, and method of investigation.
- Describe test and measurement, variables, and controls.
- Show relevance of expected data and accuracy/error analysis.
- Describe the preliminary experiment process procedures.

Safety and Environment (Payload)

- Identify safety officer for your team.
- Provide a preliminary analysis of the failure modes of the proposed design of the rocket, payload integration, and launch operations, including proposed and completed mitigations

- Provide a listing of personnel hazards and data demonstrating that safety hazards have been researched, such as material safety data sheets, operator's manuals, and NAR regulations, and that hazard mitigations have been addressed and enacted.
- Discuss any environmental concerns.

IV) Activity Plan

Show status of activities and schedule

- Budget plan (in as much detail as possible)
- Timeline (in as much detail as possible). GANTT charts are encouraged with a discussion of the critical path.
- Educational engagement

V) Conclusion

Preliminary Design Review Presentation

Please include the following in your presentation:

- · Vehicle dimensions, materials, and justifications
- Static stability margin
- · Plan for vehicle safety verification and testing
- Baseline motor selection and justification
- Thrust-to-weight ratio and rail exit velocity
- Launch vehicle verification and test plan overview
- Drawing/Discussion of each major component and subsystem, especially the recovery subsystem
- Baseline payload design
- Payload verification and test plan overview

The PDR will be presented to a panel that may be comprised of any combination of scientists, engineers, safety experts, education specialists, and industry partners. This review should be viewed as the opportunity to convince the NASA Review Panel that the preliminary design will meet all requirements, has a high probability of meeting the mission objectives, and can be safely constructed, tested, launched, and recovered. Upon successful completion of the PDR, the team is given the authority to proceed into the final design phase of the life cycle that will culminate in the Critical Design Review.

It is expected that the **students** deliver the report and answer all guestions.

The presentation of the PDR shall be well prepared with a professional overall appearance. This includes, but is not limited to, the following: easy-to-see slides; appropriate placement of pictures, graphs, and videos; professional appearance of the presenters; speaking clearly and loudly; looking into the camera; referring to the slides, not reading them; and communicating to the panel in an appropriate and professional manner. The slides should use dark text on a light background.

Critical Design Review (CDR) Vehicle and Payload Experiment Criteria

The CDR demonstrates that the maturity of the design is appropriate to support proceeding full-scale fabrication, assembly, integration, and test and that the technical effort is on track to complete the flight and ground system development and mission operations in order to meet overall performance requirements within the identified cost and schedule constraints. Progress against management plans, budget, and schedule, as well as risk assessment, are presented. The CDR is a review of the final design of the launch vehicle and payload system. All analyses should be complete and some critical testing should be complete. The CDR Report and Presentation should be independent of the PDR Report and Presentation. However, the CDR Report and Presentation may have the same basic contest and structure as the PDR documents, but with final design information that may or may not have changed since PDR. Although there may be discussion of subscale models, the CDR documents are to primarily discuss the final design of the full scale launch vehicle and subsystems.

The panel will be expecting a professional and polished report. Please use Arial, size 12 font for your CDR Report. It is advised to follow the order of sections as they appear below.

Critical Design Review Report

I) Summary of CDR report (1 page maximum)

Team Summary

- Team name
- Location
- Team official/Mentors

Launch Vehicle Summary

- Size
- Motor choice
- Recovery system
- Rail size
- Launch vehicle fly sheet

Payload Summary

Summarize experiment

II) Changes made since PDR (1-2 pages maximum)

Highlight all changes made since PDR and the reason for those changes.

- Changes made to vehicle criteria
- Changes made to payload criteria
- Changes made to activity plan

III) Vehicle Criteria

Design and Verification of Launch Vehicle

Flight Reliability and Confidence

- Include mission statement, requirements, and mission success criteria
- Include major milestone schedule (project initiation, design, manufacturing, verification, operations, and major reviews)
- Review the design at a system level
 - Final drawings and specifications
 - Final analysis and model results, anchored to test data
 - Test description and results
 - o Final motor selection
- Demonstrate that the design can meet all system level functional requirements. For each requirement, state the design feature that satisfies that requirement and how that requirement has been, or will be, verified.
- Specify approach to workmanship as it relates to mission success.
- Discuss planned additional component, functional, or static testing.
- Status and plans of remaining manufacturing and assembly.
- Discuss the integrity of design.
 - Suitability of shape and fin style for mission
 - o Proper use of materials in fins, bulkheads, and structural elements
 - Proper assembly procedures, proper attachment and alignment of elements, solid connection points, and load paths
 - Sufficient motor mounting and retention
 - Status of verification
 - o Drawings of the launch vehicle, subsystems, and major components.
 - Include a Mass Statement. Discuss the estimated mass of the final design and its subsystems and components. Discuss the basis and accuracy of the mass estimate, the expected mass growth between CDR and the delivery of the final product, and the sensitivity of the launch vehicle to mass growth (e.g., How much mass margin there is before the vehicle becomes too heavy to launch on the selected propulsion system?).
- Discuss the safety and failure analysis.

Subscale Flight Results

- Include actual flight data from onboard computers, if available.
- Compare the predicted flight model to the actual flight data. Discuss the results.
- Discuss how the subscale flight data has impacted the design of the full-scale launch vehicle.

Recovery Subsystem

- Describe the parachute, harnesses, bulkheads, and attachment hardware.
- Discuss the electrical components and how they will work together to safely recover the launch vehicle.
- Include drawings/sketches, block diagrams, and electrical schematics.
- Discuss the kinetic energy at significant phases of the mission, especially at landing.
- Discuss test results.
- Discuss safety and failure analysis.

Mission Performance Predictions

- State the mission performance criteria.
- Show flight profile simulations, altitude predictions with final vehicle design, weights, and actual motor thrust curve.
- Show thoroughness and validity of analysis, drag assessment, and scale modeling results.
- Show stability margin and the actual CP and CG relationship and locations.

Payload Integration

Ease of integration

- Describe integration plan.
- Installation and removal, interface dimensions, and precision fit.
- Compatibility of elements.
- Simplicity of integration procedure.

Launch concerns and operation procedures

- Submit draft of final assembly and launch procedures.
- Recovery preparation.
- Motor preparation.
- Igniter installation.
- Setup on launcher.
- Troubleshooting.
- Postflight inspection.

Safety and Environment (Vehicle)

- Identify safety officer for your team.
- Update the preliminary analysis of the failure modes of the proposed design of the rocket and payload integration and launch operations, including proposed, and completed mitigations.
- Update the listing of personnel hazards and data demonstrating that safety hazards have been researched, such as material safety data sheets, operator's manuals, and NAR regulations, and that hazard mitigations have been addressed and enacted.
- Discuss any environmental concerns.

IV) Payload Criteria

Testing and Design of Payload Experiment

- Review the design at a system level.
 - Drawings and specifications
 - Analysis results
 - o Test results
 - Integrity of design
- Demonstrate that the design can meet all system-level functional requirements.
- Specify approach to workmanship as it relates to mission success.
- Discuss planned component testing, functional testing, or static testing.
- Status and plans of remaining manufacturing and assembly.
- Describe integration plan.
- Discuss the precision of instrumentation and repeatability of measurement.

- Discuss the payload electronics with special attention given to transmitters.
 - o Drawings and schematics
 - Block diagrams
 - o Batteries/power
 - Transmitter frequencies, wattage, and location
 - o Test plans
- Provide a safety and failure analysis.

Payload Concept Features and Definition

- Creativity and originality
- Uniqueness or significance
- Suitable level of challenge

Science Value

- Describe payload objectives.
- State the payload success criteria.
- Describe the experimental logic, approach, and method of investigation.
- Describe test and measurement, variables, and controls.
- Show relevance of expected data and accuracy/error analysis.
- Describe the experiment process procedures.

Safety and Environment (Payload)

- Identify safety officer for your team.
- Update the preliminary analysis of the failure modes of the proposed design of the rocket and payload integration and launch operations, including proposed and completed mitigations.
- Update the listing of personnel hazards, and data demonstrating that safety hazards have been researched (such as material safety data sheets, operator's manuals, NAR regulations), and that hazard mitigations have been addressed and mitigated.
- Discuss any environmental concerns.

V) Activity Plan

Show status of activities and schedule

- Budget plan (in as much detail as possible)
- Timeline (in as much detail as possible). GANTT charts are encouraged with a discussion of the critical path.
- Educational engagement

VI) Conclusion

Critical Design Review Presentation

Please include the following information in your presentation:

- Final launch vehicle dimensions
- Discuss key design features
- Final motor choice
- Rocket flight stability in static margin diagram
- Thrust-to-weight ratio and rail exit velocity
- Mass Statement and mass margin
- Parachute sizes, recovery harness type, size, and length, and descent rates
- Kinetic energy at key phases of the mission, especially landing
- Predicted drift from the launch pad with 5-, 10-, 15-, and 20-mph wind
- Test plans and procedures
- Scale model flight test
- Tests of the staged recovery system
- Final payload design overview
- Payload integration
- Interfaces (internal within the launch vehicle and external to the ground)
- Status of requirements verification

The CDR will be presented to a panel that may be comprised of any combination of scientists, engineers, safety experts, education specialists, and industry partners. The Team is expected to present and defend the final design of the launch vehicle (including the payload), showing that design meets the mission objectives and requirements and that the design can be safety, constructed, tested, launched, and recovered. Upon successful completion of the CDR, the team is given the authority to proceed into the construction and verification phase of the life cycle which will culminate in a Flight Readiness Review.

It is expected that the **students** deliver the report and answer all questions.

The presentation of the CDR shall be well prepared with a professional overall appearance. This includes, but is not limited to, the following: easy-to-see slides; appropriate placement of pictures, graphs, and videos; professional appearance of the presenters; speaking clearly and loudly; looking into the camera; referring to the slides, not reading them; and communicating to the panel in an appropriate and professional manner. The slides should be made with dark test on a light background.

Flight Readiness Review (FRR)

Vehicle and Payload Experiment Criteria

The FRR examines tests, demonstrations, analyses, and audits that determine the overall system (all projects working together) readiness for a safe and successful flight/launch and for subsequent flight operations of the as-built rocket and payload system. It also ensures that all flight and ground hardware, software, personnel, and procedures are operationally ready.

The panel will be expecting a professional and polished report. Please use Arial, size-12 font for your FRR Report. It is advised to follow the order of sections as they appear below.

Flight Readiness Review Report

I) Summary of FRR report (1 page maximum)

Team Summary

- School name
- Location
- Team official/Mentors

Launch Vehicle Summary

- Size
- Final motor choice
- Recovery system
- Rail size
- Launch vehicle fly sheet

Payload Summary

Summarize experiment

II) Changes made since CDR (1-2 pages maximum)

Highlight all changes made since CDR and the reason for those changes.

- Changes made to vehicle criteria
- · Changes made to payload criteria
- Changes made to activity plan

III) Vehicle Criteria

Design and Construction of Vehicle

- Describe the design and construction of the launch vehicle, with special attention to the features that will enable the vehicle to be launched and recovered safely.
 - Structural elements (such as airframe, fins, bulkheads, attachment hardware, etc.)
 - Electrical elements (wiring, switches, battery retention, retention of avionics boards, etc.)
 - Drawings and schematics to describe the assembly of the vehicle.
- Discuss flight reliability confidence. Demonstrate that the design can meet mission success criteria.
 Discuss analysis, and component, functional, or static testing.

- Present test data and discuss analysis, and component, functional, or static testing of components and subsystems.
- Describe the workmanship that will enable mission success.
- Provide a safety and failure analysis, including a table with failure modes, causes, effects, and risk mitigations.
- Discuss full-scale launch test results. Present and discuss actual flight data. Compare and contrast flight data to the predictions from analysis and simulations.
- Provide a Mass Report and the basis for the reported masses.

Recovery Subsystem

- Describe and defend the robustness of as-built and as-tested recovery system.
 - Structural elements (such as bulkheads, harnesses, attachment hardware, etc.)
 - o Electrical elements (such as altimeters/computers, switches, connectors).
 - Redundancy features
 - Parachute sizes and descent rates
 - Drawings and schematics of the electrical and structural assemblies
 - Rocket-locating transmitters with a discussion of frequency, wattage, and range.
 - Discuss the sensitivity of the recovery system to onboard devices that generate electromagnetic fields (such as transmitters). This topic should also be included in the Safety and Failure Analysis section.
- Suitable parachute size for mass, attachment scheme, deployment process, test results with ejection charge and electronics
- Safety and failure analysis. Include table with failure modes, causes, effects, and risk mitigations.

Mission Performance Predictions

- State mission performance criteria
- Provide flight profile simulations, altitude predictions with real vehicle data, component weights, and actual motor thrust curve. Include real values with optimized design for altitude. Include sensitivities.
- Thoroughness and validity of analysis, drag assessment, and scale modeling results. Compare analyses
 and simulations to measured values from ground and/or flight tests. Discuss how the predictive analyses
 and simulation have been made more accurate by test and flight data.
- Provide stability margin, with actual CP and CG relationship and locations. Include dimensional moment diagram or derivation of values with points indicated on vehicle. Include sensitivities.
- Discuss the management of kinetic energy through the various phases of the mission, with special attention to landing.
- Discuss the altitude of the launch vehicle and the drift of each independent section of the launch vehicle for winds of 0-, 5-, 10-, 15-, and 20-mph.

Verification (Vehicle)

- For each requirement (Pages 5, 6, 7, and 8), describe how that requirement has been satisfied and by what method the requirement was verified. Note: Requirements are often satisfied by design features of a product, and requirements are usually verified by one or more of the following methods: analysis, inspection, and test.
- The verification statement for each requirement should include results of the analysis, inspection, and/or test which prove that the requirement has been properly verified.

Safety and Environment (Vehicle)

- Provide a safety and mission assurance analysis. Provide a Failure Modes and Effects Analysis (which
 can be as simple as a table of failure modes, causes, effects, and mitigations/controls put in place to
 minimize the occurrence or effect of the hazard or failure). Discuss likelihood and potential consequences
 for the top 5 to 10 failures (most likely to occur and/or worst consequences).
- As the program is moving into the operational phase of the Life Cycle, update the listing of personnel hazards, including data demonstrating that safety hazards that will still exist after FRR. Include a table which discusses the remaining hazards and the controls that have been put in place to minimize those safety hazards to the greatest extent possible.
- Discuss any environmental concerns that remain as the project moves into the operational phase of the life cycle.

Payload Integration

- Describe the integration of the payload into the launch vehicle.
- Demonstrate compatibility of elements and show fit at interface dimensions.
- Describe and justify payload-housing integrity.
- Demonstrate integration: show a diagram of components and assembly with documented process.

IV) Payload Criteria

Experiment Concept

This concerns the quality of science. Give clear, concise, and descriptive explanations.

- Creativity and originality
- Uniqueness or significance

Science Value

- Describe science payload objectives in a concise and distinct manner.
- State the mission success criteria.
- Describe the experimental logic, scientific approach, and method of investigation.
- Explain how it is a meaningful test and measurement, and explain variables and controls.
- Discuss the relevance of expected data, along with an accuracy/error analysis, including tables and plots.
- Provide detailed experiment process procedures.

Payload Design

- Describe the design and construction of the payload and demonstrate that the design meets all mission requirements.
 - Structural Elements (such as airframe, bulkheads, attachment hardware, etc.)
 - Electrical Elements (wiring, switches, battery retention, retention of avionics boards, etc.)
 - o Drawings and schematics to describe the design and assembly of the payload
- Provide information regarding the precision of instrumentation and repeatability of measurement.
 (Include calibration with uncertainty.)
- Provide flight performance predictions (flight values integrated with detailed experiment operations).
- Specify approach to workmanship as it relates to mission success.
- Discuss the test and verification program.

Verification

- For each payload requirement, describe how that requirement has been satisfied, and by what method
 the requirement was verified. Note: Requirements are often satisfied by design features, and requirements are usually verified by one or more of the following methods: analysis, inspection, and test.
- The verification statement for each payload requirement should include results of the analysis, inspection, and/or test which prove that the requirement has been properly verified.

Safety and Environment (Payload)

This will describe all concerns, research, and solutions to safety issues related to the payload.

- Provide a safety and mission assurance analysis. Provide a Failure Modes and Effects Analysis (which
 can be as simple as a table of failure modes, causes, effects, and mitigations/controls put in place to
 minimize the occurrence or effect of the hazard or failure). Discuss likelihood and potential consequences
 for the top 5 to 10 failures (most likely to occur and/or worst consequences).
- As the program is moving into the operational phase of the Life Cycle, update the listing of personnel hazards, including data demonstrating that safety hazards that will still exist after FRR. Include a table which discusses the remaining hazards and the controls that have been put in place to minimize those safety hazards to the greatest extent possible.
- Discuss any environmental concerns that still exist.

V) Launch Operations Procedures

Checklist

Provide detailed procedure and check lists for the following (as a minimum).

- Recovery preparation
- Motor preparation
- Igniter installation
- Setup on launcher
- Launch procedure
- Troubleshooting
- Postflight inspection

Safety and Quality Assurance

Provide detailed safety procedures for each of the categories in the Launch Operations Procedures checklist. Include the following:

- Provide data demonstrating that risks are at acceptable levels.
- Provide risk assessment for the launch operations, including proposed and completed mitigations.
- Discuss environmental concerns.
- Identify individual that is responsible for maintaining safety, quality and procedures checklists.

VI) Activity Plan

Show status of activities and schedule

- Budget plan (in as much detail as possible)
- Timeline (in as much detail as possible). GANTT charts are encouraged with a discussion of the critical path.
- Educational engagement

VII) Conclusion

Flight Readiness Review Presentation

Please include the following information in your presentation:

- Launch Vehicle design and dimensions
- Discuss key design features of the launch vehicle
- Motor description
- Rocket flight stability in static margin diagram
- Launch thrust-to-weight ratio and rail exit velocity
- Mass statement
- Parachute sizes and descent rates
- Kinetic energy at key phases of the mission, especially at landing
- Predicted altitude of the launch vehicle with a 5-, 10-, 15-, and 20-mph wind
- Predicted drift from the launch pad with a 5-, 10-, 15-, and 20-mph wind
- Test plans and procedures
- Full-scale flight test. Present and discuss the actual flight test data.
- Recovery system tests
- Summary of Requirements Verification (launch vehicle)
- Payload design and dimensions
- Key design features of the launch vehicle
- Payload integration
- Interfaces with ground systems
- Summary of requirements verification (payload)

The FRR will be presented to a panel that may be comprised of any combination of scientists, engineers, safety experts, education specialists, and industry partners. The team is expected to present and defend the as-built launch vehicle (including the payload), showing that the launch vehicle meets all requirements and mission objectives and that the design can be safely launched and recovered. Upon successful completion of the FRR, the team is given the authority to proceed into the Launch and Operational phases of the life cycle.

It is expected that the **students** deliver the report and answer all questions.

The presentation of the FRR shall be well prepared with a professional overall appearance. This includes, but is not limited to, the following: easy to see slides; appropriate placement of pictures, graphs, and videos; professional appearance of the presenters; speaking clearly and loudly; looking into the camera; referring to the slides, not reading them; and communicating to the panel in an appropriate and professional manner. The slides should be made with dark text on a light background.

Flight Hardware and Safety Check (FHSC) Vehicle and Payload Experiment Criteria

The FHSC is the final review prior to actual launch in order to verify that launch system and spacecraft/payloads are ready for launch.

Launch services personnel will conduct the FHSC, one or two days prior to launch. Students should be prepared to answer any and all questions about their rocket. Team officials and mentors may be present during the FHSC. Only upon specific direction of the launch services personnel conducting the FHSC should a teacher or mentor become involved.

Rockets certified by the Range Safety Officer (RSO) will be able to fly during the official launch. Teams needing to make repairs or changes as a result of the initial FHSC results can request a second FHSC to occur on launch day. The RSO will reevaluate the rocket for launch readiness and determine whether or not to allow the rocket to launch at that time.

Post-Launch Assessment Review (PLAR) Vehicle and Payload Experiment Criteria

The PLAR is an assessment of system in-flight performance.

Your PLAR should include the following items at a minimum. Your PLAR should be about 4-15 pages in length.

- Team name
- Motor used
- Brief payload description
- Rocket height
- Rocket diameter
- Rocket mass
- Altitude reached (Feet)
- Vehicle Summary
- Data analysis & results of vehicle
- Payload summary
- Data analysis & results of payload
- Scientific value
- Visual data observed
- Lessons learned
- Summary of overall experience (what you attempted to do versus the results and how you felt your results were; how valuable you felt the experience was)
- Educational engagement summary
- Budget Summary

Educational Engagement Form

Please complete and submit this form each time you host an educational engagement event.

Team name:
Date of event:
Location of event:
Grade level and number of participants:
Pre K-4 (1-9 years):
5-8 (10-13 years):
9-12 (14-18 years):
12+ (18+ years):
Educators:
Total:
Are the participants with a special group/organization (i.e., Girl Scouts, 4-H, school)?YN
If yes, what group/organization?
Briefly describe your activities with this group:
Did you conduct an evaluation of your educational engagement? If so, what were the results?

NASA Project Life Cycle 101

Deputy Chief, Spacecraft & Auxiliary Propulsion Systems Branch, NASA - Marshall Space Flight Center Charles Pierce

Topics

- Purpose / Objective
- NASA Project Life Cycle (Typical)
- Preliminary Design Review
- Critical (Final) Design Review
- ▶ Flight Readiness Review
- **Post Flight**

of the NASA Project Life Cycle Purpose/Objectives

- ▶ Plan for the design, build, verification, flight operations,
 - and disposal of the desired system
- Set expectations for Project Managers, Scientists, & Maintain consistency between projects
- **Engineers**
- Plans and Deliverables
- Fidelity
- Timing

Typical NASA Project Life Cycle

NASA Life		FORMULATION		Approval for	M	IMPLEMENTATION	
Cycle mases	Pre-Systems	Pre-Systems - Acquisition	andum .	mpeter System	Systems Acquisition	Operations	Decommissioning
Project Life Cycle Phases	Pre-Phase A: Concept Studies	Phase A: Concept 8 Technology Development	Phase B: Preliminary Design & Technology Completion	Phase C: Final Design 3 Fabrication	Phase D: System Assembly, Int & Test, Launch	Phase E: /, Operations Sh & Sustainment	Phase F: Closeout
Project Life Cycle Gates & Major Events	KDP A. FAD Draft Project Requirements	KDP B Prelimboury Project Plan	KDP C Baceline	харь ру	KDP E	E KDPF	Final Archinal
Reviews Reviews Human Space Flight Project Reviews¹ Reviews¹	AS Pre	R SRR SOR	POR CC (NAR) PF PF Re-enters appropriate life pycle phase if	COR/ COR/ PRR2	SIR SAR ORR Repetitors and Refamblishment	FRR PLAR CERR ³ End of	⊲a
Robotic Mission Project Reviews¹ Launch Readiness Reviews	MO	SER MOR-	PDR (NAR)	COR,	A#8	FER PLAR CERR3	√ s s s s s s s s s s s s s
Supporting Reviews		Peer Peer	Peer Reviews, Subsys	em PDRs, Subsy	Subsystem PDRs, Subsystem CDRs, and System Reviews	System Reviews	
FOOTNOTES 1. Flexibility equivale document the index of CERRs. 3. CERRs. 4. For robo 6. Includes 6. Includes 7. Project 17. required.	Flexibility is allowed in the timing, number, and contenequivalent information is provided at each KDP and the documented in the Project Plan. These reviews are cother independent SRB. See Section 2.5 and Table 2.6. PRR needed for multiple (24) system copies. Timing CERRs are established at the discretion of Program of Prorobotic missions, the SRB and the MDR may be of the ASP and ASM are Agency reviews, not life-cycle includes recentification, as required. Project Plans are baselined at KDP C and are reviewe required, to ensure project content, cost, and budger in required.	IES Flexibility is allowed in the timing, number, and content of reviews as long as the equivalent information is provided at each KDP and the approach is fully documented in the Project Plan. These reviews are conducted by the project for the independent SRB. See Section 2.5 and Table 2.6. PRR needed for multiple (24) system copies. Timing is notional. For robotic missions, the SRB and the MDR may be combined. The ASP and ASIM are Agency reviews, not life-cycle reviews. Includes recentification, as required. Project Plans are baselined at KDP C and are reviewed and updated as nequired, to ensure project content, cost, and budget remain consistent.	views as long as the roach is fully ed by the project for onal.	ACRONYMS ASP—Acquisition Strategy Planning Meeting ASM—Acquisition Strategy Planning Meeting ASM—Acquisition Strategy Planning Meeting CDR—Critical Design Review CERR—Critical Events Readiness Review DR—Decommissioning Review FAD—formulation Authorization Document FRR—Flight Readiness Review KDR—Key Design Point LRR—Launch Readiness Review MCR—Mission Concept Review NAR—Mon-Advocate Review	gy Planning Meeting agy Meeting Meeting Readiness Review Review onzation Document onzation Exercise In Review Review Review	ORR—Operational Readiness Review PDR—Preliminary Design Review PFAR—Post-Flight Assessment Review PLAR—Post-Launch Assessment Review PNAR—Production Readiness Review SAR—System Acceptance Review SDR—System Definition Review SIRR—System Integration Review SMSR—Safety and Mission Success Review SRR—System Requirements Review	Review In Review In Review In Review In Review In Review In W W W W W W W W W W W W W

34

Student Launch Projects (SLP) Life Cycle

Phase F Disposal	
Phase E Operations & Sustainment	AFRR Launch APLAR
Phase D Fabrication & Launch	ACDR AF
Phase C Final Design	Proceed
Phase B Preliminary Design	Authority to ASRR
Phase A Acquisition & Requirements	35

- ATP (Authority to Proceed) Funding is applied to the contract/effort and work performance can
- requirements. System Requirements are reviewed and authority is given to proceed into Preliminary Design. The USLI/SLI Project skips this step. Note: This review is skipped for SLP, due to time SRR (System Requirements Review) - Top Level Requirements are converted into system
- PDR (Preliminary Design Review) Preliminary Design is reviewed and authority is given to proceed into Final Design.
- CDR (Critical Design Review) Final Design is reviewed and authority is given to proceed to build the system.
- FRR (Flight Readiness Review) As-built design and test data are reviewed and authority is given for
- PLAR (Post Launch Assessment Report) Summarize project (cradle to grave), discuss mission results and compare to expected results, document lessons learned

Preliminary Design Review (PDR)

Objective

- Prove the feasibility to build and launch the rocket/payload design.
- Prove that all system requirements will be met.
- Receive authority to proceed to the Final Design Phase
 - Typical Products (Vehicle and Payload) **Preliminary Design Discussion**
- Drawings, sketches

36

- Identification and discussion of components
- Analyses (such as Vehicle Trajectory Predictions) and Simulation Results
- Mass Statement and Mass Margin
- Schedule from PDR to Launch (including design, build, test)
- Cost/Budget Statement
- Mission Profile (Concept of Operations)
- Interfaces (within the system and external to the system)
- Test and Verification Plan (for satisfying reguirements)
 - Ground Support Equipment Designs/Identification
 - Safety Features

Critical Design Review (CDR)

Objective

- Complete the final design of the rocket/payload system
- Receive authority to proceed into Fabrication and Verification
- · In a perfect world, fabrication/procurement of the final system wouldn't begin until a successful completion of CDR.
- Due to schedule constraints, however, it is often necessary to start procurements and fabrication prior to CDR.

37

Procurements and Fabrication that start prior to CDR add an extra risk to the Project because design issues may be discovered at CDR that impact procurements or fabrication.

Typical Products (Vehicle and Payload)

- PDR Deliverables (matured to reflect the final design)
- Report and discuss completed tests
- Procedures and Checklists

Flight Readiness Review (FRR)

Objective

- Prove that the Rocket/Payload System has been fully built, tested, and verified to meet the system requirements
- Prove that all system requirements have been, or will be, met
- Receive authority to proceed to Launch

Typical Products (Vehicle and Payload)

- Schedule
- **Cost Statement**
- Design Overview
- Key components
- Key drawings and layouts
- Trajectory and other key analyses
- **Key Safety Features**
- Mass Statement
- Remaining Risks
 - Mission Profile
- Presentation and analysis and models (use real test data)
- **System Requirements Verification**
- **Ground Support Equipment**
 - **Procedures and Check Lists**

Hardware Inspections (Hands on)

Objective

- To perform a hands-on final inspection of the rocket system, prior to launch
- Performed by the operators of the Launch Range

Process

- Rockets deconstructed
- Mechanical components pulled and twisted
- Electronics and Wiring inspected (as much as possible)
- Recovery System fully inspected
- Questions asked
- · Arming, Activation, Execution Sequences
- Rocket and Payload Functions
- Launch Day Procedures reviewed
- Questions Answered (anything about Launch Day or Range Operations)
- Actions given to repair unsafe elements in the rocket system (if any are found)

Note: This inspection is a Pre Range Safety Officer (RSO) inspection.

- It occurs one day before launch and it purpose is to give the Student Teams an opportunity to correct hardware issues that could otherwise result in the denial of launch of their rocket.
- A final RSO inspection will occur at the launch site (just like a normal NAR/TRA RSO Inspection at the launch site).

Post Launch Assessment Report

- Summary of the Project
- Summary of the Vehicle and Payload
- Especially note anything that changed after FRR
- Presentation of Vehicle and Payload Results
- Comparison to predicted results
 Discussion of anomalies
- Lessons Learned

Safety



High Power Rocket Safety Code Provided by the National Association of Rocketry

- 1. **Certification.** I will only fly high power rockets or possess high power rocket motors that are within the scope of my user certification and required licensing.
- **2. Materials.** I will use only lightweight materials such as paper, wood, rubber, plastic, fiberglass, or when necessary ductile metal, for the construction of my rocket.
- 3. Motors. I will use only certified, commercially made rocket motors, and will not tamper with these motors or use them for any purposes except those recommended by the manufacturer. I will not allow smoking, open flames, nor heat sources within 25 feet of these motors.
- 4. Ignition System. I will launch my rockets with an electrical launch system, and with electrical motor igniters that are installed in the motor only after my rocket is at the launch pad or in a designated prepping area. My launch system will have a safety interlock that is in series with the launch switch that is not installed until my rocket is ready for launch, and will use a launch switch that returns to the "off" position when released. If my rocket has onboard ignition systems for motors or recovery devices, these will have safety interlocks that interrupt the current path until the rocket is at the launch pad.
- **5. Misfires.** If my rocket does not launch when I press the button of my electrical launch system, I will remove the launcher's safety interlock or disconnect its battery, and will wait 60 seconds after the last launch attempt before allowing anyone to approach the rocket.
- **6. Launch Safety.** I will use a 5-second countdown before launch. I will ensure that no person is closer to the launch pad than allowed by the accompanying Minimum Distance Table, and that a means is available to warn participants and spectators in the event of a problem. I will check the stability of my rocket before flight and will not fly it if it cannot be determined to be stable.
- 7. Launcher. I will launch my rocket from a stable device that provides rigid guidance until the rocket has attained a speed that ensures a stable flight, and that is pointed to within 20 degrees of vertical. If the wind speed exceeds 5 miles per hour I will use a launcher length that permits the rocket to attain a safe velocity before separation from the launcher. I will use a blast deflector to prevent the motor's exhaust from hitting the ground. I will ensure that dry grass is cleared around each launch pad in accordance with the accompanying Minimum Distance table, and will increase this distance by a factor of 1.5 if the rocket motor being launched uses titanium sponge in the propellant.
- **8. Size.** My rocket will not contain any combination of motors that total more than 40,960 N-sec (9208 pound-seconds) of total impulse. My rocket will not weigh more at liftoff than one-third of the certified average thrust of the high power rocket motor(s) intended to be ignited at launch.
- 9. Flight Safety. I will not launch my rocket at targets, into clouds, near airplanes, nor on trajectories that take it directly over the heads of spectators or beyond the boundaries of the launch site, and will not put any flammable or explosive payload in my rocket. I will not launch my rockets if wind speeds exceed 20 miles per hour. I will comply with Federal Aviation Administration airspace regulations when flying, and will ensure that my rocket will not exceed any applicable altitude limit in effect at that launch site.

- 10. Launch Site. I will launch my rocket outdoors, in an open area where trees, power lines, buildings, and persons not involved in the launch do not present a hazard, and that is at least as large on its smallest dimension as one-half of the maximum altitude to which rockets are allowed to be flown at that site or 1500 feet, whichever is greater.
- 11. Launcher Location. My launcher will be at least one half the minimum launch site dimension, or 1500 feet (whichever is greater) from any inhabited building, or from any public highway on which traffic flow exceeds 10 vehicles per hour, not including traffic flow related to the launch. It will also be no closer than the appropriate Minimum Personnel Distance from the accompanying table from any boundary of the launch site.
- **12. Recovery System.** I will use a recovery system such as a parachute in my rocket so that all parts of my rocket return safely and undamaged and can be flown again, and I will use only flame-resistant or fireproof recovery system wadding in my rocket.
- **13. Recovery Safety.** I will not attempt to recover my rocket from power lines, tall trees, or other dangerous places, fly it under conditions where it is likely to recover in spectator areas or outside the launch site, nor attempt to catch it as it approaches the ground.

Minimum Distance Table

Installed Total Impulse (Newton- Seconds)	Equivalent High Power Motor Type	Minimum Diameter of Cleared Area (ft.)	Minimum Personnel Distance (ft.)	Minimum Personnel Distance (Complex Rocket) (ft.)
0 – 320.00	H or smaller	50	100	200
320.01 – 640.00	I	50	100	200
640.01 – 1,280.00	J	50	100	200
1,280.01 – 2,560.00	К	75	200	300
2,560.01 – 5,120.00	L	100	300	500
5,120.01 – 10,240.00	M	125	500	1000
10,240.01 – 20,480.00	N	125	1000	1500
20,480.01 – 40,960.00	0	125	1500	2000

Note: A Complex rocket is one that is multi-staged or that is propelled by two or more rocket motors
Revision of July 2008

Provided by the National Association of Rocketry (www.nar.org)



Failures, Hazards and Risk

How to Identify, Track and Mitigate

Examples from Home



Risks: weather, traffic jam, alarm doesn't ring

How do we plan for these risks?

• Failure: the car doesn't start

How do we try to make sure that it will start?


Hazard: bad roads, other drivers, sudden changes in traffic flow

How do we plan for this and avoid problems?

Getting to work on time means that we have recognized the risks, failure modes, and hazards, and have taken action to reduce their probability and impact. This same approach improves the probability of success for a project.

Risk Definition

- undesired event and the consequences, impact, The combination of the probability of an or severity of the event.
- Risk assessment includes
- What can go wrong
- How likely is it to occur
- What the consequences are
- Risk Mitigation is
- Application of methods to lessen the probability and/or impact of the undesired event



Examples of Risk

- Planned design will be over budget
- Key personnel will leave the program
- Unavailability of equipment when needed to support schedule
- Students have many other demands on time and do not have time to finish the project
- Parts unavailability
- Mishaps
- Communication issues
- Bad weather on launch day



Risk Management

- "Risk management is a continuous process that
- identifies risks;
- analyzes their impact and prioritizes them;
- develops and carries out plans for risk mitigation or acceptance;
- tracks risks and the implementation of mitigation plans;
- supports informed, timely, and effective decisions to control risks and mitigation plans;
- and assures that risk information is communicated and documented.
- Risk management is driven by established success criteria and is performed by the whole team"
- (from NASA Program and Project Management Processes and Requirements)

Examples of Tables to Include in PDR, CDR, FRR

Risk	Probability	Impact	Mitigation
Project falls behind schedule due to multiple demands on time	Highly probable	Late delivery of PDR, CDR, FRR; incomplete project	Create a schedule with margin for problems, track progress; divide work among team
Parts are unavailable	Probability is low	Last minute design changes	Have design options and multiple sources; finalize design and order parts early
Key personnel leave project	Probability is low	Extra work for members; late delivery; incomplete project	Have primary and backup assignments; document activities; communicate
Project is over budget	Highly probably	Last minute design changes for cost cutting; incomplete project	Track progress; have multiple funding sources


Failures



- component and system should be analyzed for During the rocket design process, each failure modes:
- How can it fail
- What are the consequences of the failure
- How can the failure be prevented
- support equipment, as well as the rocket and This includes system integration and ground payload
- Document the analysis and update as necessary

Failure Examples

- Parachutes fail to deploy
- Failure to ignite
- Unstable flight
- Failure to collect data
- Power loss



Examples of Tables to Include in PDR, CDR, FRR

Failt Propu	ure .	Failure Modes and Effects Analysis on Propulsion Team: Daniel Chhitt, Jason Back	Failure Modes and Effects Analysis of Propulsion System Propulsion Team: Daniel Chhitt, Jason Back	
Function	tion	Potential Failure Mode	Potential Effects of Failure	Failure Prevention
1]	Propellant fails to ignite.	Total mission failure, rocket does not take off.	Proper ignition system setup.
2	63	Propellant ignites but extinguishes before desired burn time.	Rocket may not reach desired height, payload failure.	Proper motor and propellant inspection and testing.
3	3	Motor mounting fails and motor launches through the rocket.	Possible destruction of all systems; avionics, recovery, payload	Proper motor mounting structure and load testing of mounting structure.
4	+	Propellant ignites but causes a catastrophic explosion.	Possible destruction of all systems; avionics, recovery, payload, structure.	Proper motor and propellant inspection and testing.
/	15	Propellant ignites but burns through motor casing.	Propellant ignites but burns Severe loss of stability, possible Proper testing of motor through motor casing.	Proper testing of motor casing and propellant.
9	2	Motor casing becomes detached during flight.	Rocket may not reach desired height, motor becomes a projectile.	Proper testing and mounting of motor casing to the structure.



Hazards



- successfully, but a few hazards must be clearly recognized, understood, and The project can be done safely and mitigated.
- priority and must never be compromised. Safety of the students is NASA's first
- There are many resources available to help with this concern.

Hazard Examples

- Adhesives, solvents, and paint
- Black Powder and solid propellant
- Use of Tools
- Launch site failures
- Pressurized/cold hybrid systems
- Other hazards associated with a particular design

Safety Resources and Methods

- NAR Safety Codes and Mentors
- NAR certifications and training
- Material Safety Data Sheets
- Operators Manuals
- Development and adherence to assembly and launch procedures
- Equipment, such as goggles, gloves, sturdy shoes, hard hats, cotton clothing, fire extinguishers
- Environment, such as good ventilation, restricting cell phones around electric matches
- responsible to look at activities from a safety perspective Planning and communication; designate someone
- Use the buddy system

Examples of Tables to Include in PDR, CDR, FRR

Mitigation	Read MSDS for precautions; wear gloves; have good ventilation	Follow safety rules; wear cotton clothing; do not smoke or have other static or spark producing items in the area	Follow manufacturer's safety instructions; wear goggles; do not operate without supervision	Write procedures to plan for this contingency and follow; be patient and wait; consult with experts
Effect of Hazard Mitigation	Possible respiratory and skin irritation	Fire, damage to equipment, personal injury	Cuts or other injuries, damage to equipment, flying debris	Rocket may not be safe to approach
Hazard	Chemicals in paint, solvent, adhesive	Ignition of black powder or other pyrotechnic or explosive compounds	Use of power tools	Misfire, hangfire on launch pad

Mission Success

- Mission Success is the result of attention assessment of risks, failure modes and to detail, and a thorough, honest hazards.
- Failure is often the best teacher, so plan to test as much as possible.
- Teamwork and communication are essential for a successful project.



Understanding MSDS's

By: Jeff Mitchell

MSFC Environmental Health

What is an MSDS?

produced by a manufacturer of a to safely work with or handle this comprehensive overview of how A Material Safety Data Sheet particular chemical and is (MSDS) is a document intended to give a chemical

What is an MSDS?

- information per OSHA 29 CFR 1910.1200 MSDS's do not have a standard format, but they are all required to have certain
- requirements of this OSHA standard in Manufacturers of chemicals fulfill the different ways

Required data for MSDS's

- Identity of hazardous chemical
- Chemical and common names
- Physical and chemical characteristics
- Physical hazards
- Health hazards
- Routes of entry
- Exposure limits

Required data for MSDS's (Cont.)

- Carcinogenicity
- Procedures for safe handling and use
- Control measures
- **Emergency and First-aid procedures**
- Date of last MSDS update
- Manufacturer's name, address, and phone number

Important Agencies

- ACGIH

 □ The American Conference of Governmenta Industrial Hygienist develop and publish chemicals, these limits are called TLV's occupational exposure limits for many (Threshold Limit Values)

Important Agencies (Cont.)

ANSI


and public national consensus standards that a private organization that identifies industrial □ The American National Standards Institute is relate to safe design and performance of equipment and practices

Important Agencies (Cont.)

NFPA -

- system used on many labels of hazardous □ The National Fire Protection Association, among other things, established a rating chemicals called the NFPA Diamond
- Flammability hazard, Reactivity hazard, and □ The NFPA Diamond gives concise information on the Health hazard, Special precautions
- □ An example of the NFPA Diamond is on the next slide

NFPA Diamond



Important Agencies (Cont.)

TSOIN •

Service that tests and certifies respiratory and incidents and researches occupational satety The National Institute of Occupational Safety and Health is an agency of the Public Health air sampling devices. It also investigates

Important Agencies (Cont.)

- OSHA
- health concerns of all American workers are Administration is a Federal Agency with the mission to make sure that the safety and ☐ The Occupational Safety and Health being met

Exposure Limits

- Occupational exposure limits are set by different agencies
- Occupational exposure limits are designed to reflect a safe level of exposure
- Personnel exposure above the exposure limits is not considered safe

Exposure Limits (Cont.)

- OSHA calls their exposure limits, PEL's, which stands for Permissible Exposure Limit
- □OSHA PEL's rarely change
- ACGIH, establishes TLV's, which stands for Threshold Limit Values
- □ ACGIH TLV's are updated annually

Exposure Limits (Cont.)

- concentration that shall never be A Ceiling limit (noted by C) is a exceeded at any time
- concentration of a chemical is high enough that it may be Immediately Dangerous to An IDLH atmosphere is one where the Life and Health

Exposure Limits (Cont.)

- A STEL, is a Short Term Exposure Limit and is used to reflect a 15 minute exposure time
- is used to reflect an 8 hour exposure time A TWA, is a Time Weighted Average and

Chemical and Physical Properties

- Boiling Point
- The temperature at which the chemical changes from liquid phase to vapor phase
- Melting Point
- The temperature at which the chemical changes from solid phase to liquid phase
- Vapor Pressure
- The pressure of a vapor in equilibrium with its non-vapor phases. Most often the term is used to describe a liquid's tendency to evaporate
- Vapor Density
- This is used to help determine if the vapor will rise or fall in air
- Viscosity
- It is commonly perceived as "thickness", or resistance to pouring. A higher viscosity equals a thicker liquid

Chemical and Physical Properties Cont.)

- Specific Gravity
- This is used to help determine if the liquid will float or sink in water
- Solubility
- This is the amount of a solute that will dissolve in a specific solvent under given conditions
- Odor threshold
- The lowest concentration at which most people may smell the chemical
- Flash point
- The lowest temperature at which the chemical can form an ignitable mixture with air
- Upper (UEL) and lower explosive limits (LEL)
- At concentrations in air below the LEL there is not enough fuel to continue an explosion; at concentrations above the UEL the fuel has displaced so much air that there is not enough oxygen to begin a

Things you should learn from MSDS's

- Is this chemical hazardous?
- □ Read the Health Hazard section
- What will happen if I am exposed?
- There is usually a section called Symptoms of Exposure under Health Hazard
- What should I do if I am overexposed?
- Read Emergency and First-aid procedures
- How can I protect myself from exposure?
- ☐ Read Routes of Entry, Procedures for safe handling and use, and Control measures

Take your time!

- format, what you are seeking may not be Since MSDS's don't have a standard in the first place you look
 - Study your MSDS's before there is a problem so you aren't rushed
- compliment information in another Read the entire MSDS, because information in one location may

The following slides are an abbreviated version of a real MSDS

Study it and become more familiar with this chemical

MSDS: METHYL ETHYL KETONE

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MDL INFORMATION SYSTEMS, INC. 14600 CATALINA STREET 1-800-635-0064 OR 1-510-895-1313

Manufacturer name and phone #

FOR EMERGENCY SOURCE INFORMATION CONTACT: 1-615-366-2000 USA

CAS NUMBER: 78-93-3 RTECS NUMBER: EL6475000

EU NUMBER (EINECS):

201-159-0

EU INDEX NUMBER:

606-002-00-3

Last revision

SUBSTANCE: METHYL ETHYL KETONE

TRADE NAMES/SYNONYMS:

BUTANONE; 2-BUTANONE; ETHYL METHYL KETONE; METHYL ACETONE; 3-BUTANONE; MEK; SCOTCH-GRIP ® BRAND SOLVENT #3 (3M); STOP, SHIELD, PEEL REDUCER (PYRAMID PLASTICS, INC.); STABOND C-THINNER (STABOND CORP.); OATEY CLEANER (OATEY COMPANY); RCRA U159; UN1193; STCC 4909243; C4H8O; OHS14460

CHEMICAL FAMILY: Ketones, aliphatic

CREATION DATE: Sep 28 1984 REVISION DATE: Mar 30 1997

SECTION 2. COMPOSITION, INFORMATION ON INGREDIENTS

COMPONENT: METHYL ETHYL KETONE

CAS NUMBER: 78-93-3

PERCENTAGE: 100

SECTION 3. HAZARDS IDENTIFICATION

NFPA RATINGS (SCALE 0-4): Health=2 Fire=3 Reactivity=0

Good info for labeling containers

®EMERGENCY OVERVIEW:

COLOR: colorless

PHYSICAL FORM: liquid

ODOR: minty, sweet odor

MAJOR HEALTH HAZARDS: respiratory tract irritation, skin irritation, eye irritation, central nervous system depression PHYSICAL HAZARDS: Flammable liquid and vapor. Vapor may cause flash fire

POTENTIAL HEALTH EFFECTS:

What happens when exposed?

INHALATION:

SHORT TERM EXPOSURE: irritation, nausea, vomiting, difficulty breathing,

SKIN CONTACT:

SHORT TERM EXPOSURE: irritation

LONG TERM EXPOSURE: same as effects reported in short term exposure

EYE CONTACT...

INGESTION...

CARCINOGEN STATUS:

OSHA: N

NTP: N

IARC: N

Does it cause cancer?

SECTION 4. FIRST AID MEASURES

INHALATION...

SKIN CONTACT.

EYE CONTACT...

INGESTION...

What should you do if exposed?

SECTION 5. FIRE FIGHTING MEASURES

SECTION 6. ACCIDENTAL RELEASE MEASURES

AIR RELEASE:

Reduce vapors with water spray

SOIL RELEASE:

Dig holding area such as lagoon, pond or pit for containment. Absorb with...

SECTION 7. HANDLING AND STORAGE

Store and handle in accordance ...

SECTION 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS:

METHYL ETHYL KETONE:

METHYL ETHYL KETONE:

200 ppm (590 mg/m3) OSHA TWA

300 ppm (885 mg/m3) OSHA STEL 200 ppm (590 mg/m3) ACGIH TWA

300 ppm (885 mg/m3) ACGIH STEL

8 hr avg

15 min av

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: colorless

MYTH: if it smells bad it is harmful, if it

PHYSICAL FORM: liquid

smells good it is safe

ODOR: minty, sweet odor*

MOLECULAR WEIGHT: 72.12

MOLECULAR FORMULA: C-H3-C-H2-C-O-C-H3

BOILING POINT: 176 F (80 C)

FREEZING POINT: -123 F (-86 C)

MEK vapor is heavier than air

VAPOR PRESSURE: 100 mmHg @ 25 C

VAPOR DENSITY (air = 1): 2.5

MEK liquid will float on stagnant water SPECIFIC GRAVITY (water = 1): 0.8054

WATER SOLUBILITY: 27.5% ←

PH: No data available

— Not very soluble in water

VOLATILITY: No data available

Will likely smell MEK before being ODOR THRESHOLD: 0.25-10 ppm

EVAPORATION RATE: 2.7 (ether = 1)

overexposed

VISCOSITY: 0.40 cP @25 🖔

SOLVENT SOLUBILITY: alcohol, ether, benzene, acetone, oils, solvents

Goes to vapor easy

SECTION 10. STABILITY AND REACTIVITY

SECTION 11. TOXICOLOGICAL INFORMATION

MSDS's have an abundance of information useful in many different aspects

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

SECTION 14. TRANSPORT INFORMATION

SECTION 15. REGULATORY INFORMATION

SECTION 16. OTHER INFORMATION

Awards



USLI Competition Awards

USLI Competition Awards								
Award:	Award Description:	Determined by:	When awarded:					
Vehicle Design Award	Awarded to the team with the most creative and innovative overall vehicle design for their intended payload while still maximizing safety and efficiency.	USLI panel	Launch Day					
Payload Design Award	Awarded to the team with the most creative and innovative payload design while maximizing safety and science value.	USLI panel	Launch Day					
SMD Payload Design Award	Awarded to the team with the most creative and innovative SMD payload design while maximizing safety and science value.	USLI panel	Launch Day					
Project Review (CDR/FRR) Award	Awarded to the team that is viewed to have the best combination of written reviews and formal presentations	USLI panel	Launch Day					
Educational Engagement Award	Awarded to the team that is determined to have best inspired the study of rocketry and other science, technology, engineering, and math (STEM) related topics in their community. This team not only presented a high number of activities to a large number of people, but also delivered quality activities to a wide range of audiences.	USLI panel	Launch Day					
Web Design Award	Awarded to the team that has the best, most efficient Web site with all documentation posted on time.	USLI panel	Launch Day					
Altitude Award*	Awarded to the team that achieves the best altitude score according to the scoring rubric.	USLI panel	Launch Day					
Best Looking Rocket	Awarded to the team that is judged by their peers to have the "Best Looking Rocket"	Peers	Launch Day					
Best Team Spirit Award	Awarded to the team that is judged by their peers to display the "Best Team Spirit" on launch day.	Peers	Launch Day					
Rookie Award*	Awarded to the top overall rookie team using the same criteria as the Overall Winner Award. (Only given if the overall winner is not a rookie team).	USLI panel	May 20, 2011					
Overall Winner*	Awarded to the top overall team. Design reviews, outreach, Web site, safety, and a successful flight will all factor into the Overall Winner.	USLI panel	May 20, 2011					

 $^{^{\}star}$ Only teams who use the required altimeter for competition scoring will be eligible. 86

Procurementand Finances



Procurement and Finances

In order to receive the NASA Student Launch Projects grant upon award, there are several important steps to take.

*Prior to awards, you can go ahead and do the following:

1.DUNS Number:

The DUNS number is: Data Universal Numbering System.

Go to: https://eupdate.dnb.com/requestoptions/government/ccrreg/

Use Web site registration or contact by phone to receive a DUNS number within 48 hours.

On the D&B Web site, it will ask for a Primary SIC: Standard Industrial Classification Code. The SIC code for Elementary and Secondary Schools is 8211. It will also ask for a primary contact (principal) and the number of employees.

2.Cage Code: (Takes about 1 hour to complete.)
Cage Code Web site: https://www.bpn.gov/ccr/

3. "Offerer Representations and Certifications":

You will need the DUNS number and your MPIN to fill out the Reps and Certs form. The MPIN is a 9-digit code containing at least one alpha character and one number, created by you in your CCR record The Reps and Certs Web site: www.bpn.gov/orca.

4. Payment Information Form

This form must be submitted as soon as award is granted. This will allow for direct deposit of funds after each invoice is submitted.

*If your school or organization is selected to participate in the NASA Student Launch Projects, look closely at the following forms:

- b. Delivery Schedule will provide due dates.
- c. Solicitation Contract/Order for Commercial Items

This page will contain contact information for contract questions (located in boxes 9 and 16) and financial questions (located in box 18a). Box 4 "Order Number" is your reference number for all communications with Office of Procurement and Office of Finance. Invoices should be submitted to the address in box 18a.

Information Needed to Register (Cage Code)

* Items are mandatory **General Information**

* Data Universal Numbering System (D-U-N-S) Number: The Data Universal Numbering System (D-U-N-S) Number is a unique nine-character identification number provided by the commercial company Dun & Bradstreet (D&B). Call D&B at 1-866-705-5711 or access their Web site at http://ccr.dnb.com/ccr/pages/CCRSearch.jsp if you do not have a D-U-N-S Number. The process to request a D-U-N-S Number via phone takes about 10 minutes and is free of charge. Internet requests are fulfilled within 24 hours. Once a D-U-N-S Number has been issued, it will be available for use in CCR within 24 hours.

You must have a different nine-digit D-U-N-S Number for each physical location or different address in your company as well as each legal division that may be co-located. When entering your D-U-N-S Number, enter only the numbers; do not include dashes. As a result of obtaining a D-U-N-S Number, you might be included on D&B's marketing list that is sold to other companies. If you do not want your name or company name included on this marketing list, D&B has asked that you contact them anytime at the same numbers noted above to request they be removed.

D-U-N-S +4: The use of D-U-N-S+4 Numbers to identify vendors is limited to identifying different CCR records for the same vendor at the same physical location. For example, a vendor could have two records for themselves at the same physical location to identify two separate bank accounts. (Vendors wishing to register their subsidiaries and other entities should ensure that each additional location obtains a separate D-U-N-S Number from Dun & Bradstreet at 1-866-705-5711.)

CAGE Code: The Commercial and Government Entity (CAGE) Code is a five-character ID number used extensively within the federal government. Vendors with a U.S. address may submit the application without a CAGE Code if they do not have one. If your application does not contain a CAGE Code, one will be assigned to you. The CCR registration process will also verify existing CAGE Codes for all applicants. To speed up the process, make every effort to use a current CAGE Code in your application. You must have a separate CAGE Code for each physical location and separate division at the same physical location. Each separate CCR registration must have its own CAGE Code. If you think you have a CAGE Code, search the DLIS CAGE Web at http://www.dlis.dla.mil/cage_welcome.asp.

Note: Vendors located outside of the U.S. are required to include an NCAGE Code on the registration, or it will be considered incomplete.

- * Legal Business Name and Doing Business As (DBA): Enter the legal name by which you are incorporated and pay taxes. If you commonly use another name, such as a franchise or licensee name, then include that in the DBA space below the Legal Business Name. Your legal business name as entered on the CCR registration MUST match the legal business name at Dun & Bradstreet. If the information does not match, your registration may be rejected during processing. Do not type "same" or "as shown above" in the DBA field.
- * US Federal TIN: The Tax Identification Number (TIN) is the nine-digit number which is either an Employer Identification Number (EIN) assigned by the Internal Revenue Service (IRS) (http://www.irs.gov/businesses/small/article/0,,id=104331,00.html) or Social Security Number (SSN) assigned by the Social Security Administration (SSA) (http://www.ssa.gov/replace_sscard.html).

If you do not know your TIN/EIN, contact the IRS at 1-866-255-0654 (Option 2). If you operate as an individual sole proprietorship, you may use your Social Security Number if you do not have a TIN/EIN. If you are located outside the United States and do not pay employees within the U.S., you are not required to provide a TIN. When entering your TIN (EIN or SSN) on the Web site enter only the numbers; do not include the dashes (Example: 123456789 not 123-45-6789)

Note: Authority: 31 U.S.C. 7701 (c) (3) Principal Purpose(s). The TIN may be used by the Federal Government to collect and report on delinquent amounts arising out of the offer's relationship with the Federal Government.

Note: As of October 30, 2005, all TINs will be validated by the IRS. You will not be allowed to have an active CCR registration without a validated TIN. The TIN matching process is a joint effort between the General Services Administration (GSA), Department of Defense (DOD), and the IRS to improve the quality of data in government acquisition systems. A notice has gone out to CCR registrants informing them of the IRS validation in CCR registration.

In order to complete your CCR registration and qualify as a vendor eligible to bid for federal government contracts or apply for federal grants, the TIN and Taxpayer Name combination you provide in CCR must match exactly to the TIN and Taxpayer Name used in federal tax matters.

It will take one to two business days to validate new and updated records prior to becoming active in CCR.

Division Name and Number: If you do business as a division of a larger company, use this space to indicate the proper name for your division. If a number identifier commonly distinguishes your division, enter that in the division number field. Otherwise, leave blank.

Company URL: If applicable, provide your company's homepage URL. Both upper and lower cases are acceptable.

* Physical Street Address 1: PO Box and c/o may not be used in this space. You must include a valid street address where your business is located. If you use a PO Box for correspondence, this may be included in the space allocated for "mailing address." Your street address, as entered on the CCR registration, MUST match the street address assigned to your D&B D-U-NS Number. If the information does not match, your registration may be rejected during processing. You may not register a branch of the business with the branch address and the headquarters D-U-N-S Number.

Physical Street Address 2: Use this space to continue your physical street address, if needed.

- * City, State, Zip: The nine-digit zip code is mandatory. When entering the nine-digit zip code on the Web, enter numbers only; do not include the dash. (Example: 123456789 not 12345-6789)
- * Country: Choose the appropriate country code abbreviation from the list provided.
- * Mailing Address Information: If you are unable to receive mail at your physical address, enter a proper mailing address here. A Post Office Box is permissible. Any address used here will receive all CCR correspondence. If the Point of Contact is in a different location than the legal business address and wishes to receive the mail directly, please enter the appropriate address here.
- * **Date Business Started:** Enter the date your business was started in its present form. This may be used to distinguish you from others with similar names. When entering the information on the Web site, you must enter as mm/dd/yyyy. (Example: 01/01/1995)
- * Fiscal Year End Close Date: Enter the day on which you close your fiscal year. For example, if you use the calendar year, enter 12/31. When entering the information on the Web site, you must enter as mm/dd.

- * Average Number of Employees: Be sure to provide accurate information about the number of employees for your business, as this value is part of determining your business size classification. The calculation must include the employees of all affiliates, not just your individual branch. For more information, see http://www.sba.gov/size.
- * Annual Revenue: Be sure to provide accurate information about the three-year average annual revenue for your business, as this value is part of determining your business size classification. The calculation must include the revenue of *all affiliates*, not just your individual branch. For more information, see http://www.sba. gov/size. Annual revenue cannot be zero; you must enter a number. When entering revenue in the Web site, enter numbers only, no dollar signs or commas.

Company Security Level: If applicable, choose the correct level of security for the facility.

Highest Employee Security Level: If applicable, choose the security level of the employee with the highest employee security level at that facility.



Frequently Asked Questions (FAQ)

Who can see my records?

ORCA records are considered public information. Anyone with access to the Internet, that knows your DUNS number, can search the archives to view an ORCA record.

What is ORCA?

Please refer to the Acquisition.gov website for an explanation. http://www.acquisition.gov/faqs_whatis.cfm

Why was ORCA created?

Prior to ORCA, vendors were required to submit Reps and Certs for each individual large purchase contract award. Now, using ORCA, a contractor can enter their Reps and Certs information once for use on all Federal contracts. This site not only benefits the contractor by allowing them to maintain an accurate and complete record but also the Contracting Officer as they can view every record, including archives, with the click of a mouse.

Who needs to register in ORCA?

You must be registered in ORCA if the solicitation you are responding to requires that you have an active registration in CCR.

What is the difference between CCR and ORCA and why must I register in both systems?

Central Contractor Registration (CCR) is the primary vendor database for the U.S. Federal Government. Since October 1, 2003, it is federally mandated that any business wishing to do business with the federal government under a FAR-based contract must be registered in CCR before being awarded a contract. In addition, vendors must maintain their CCR records annually.

Online Representations and Certifications Application (ORCA) replaces most of the paper based Representations and Certifications (Reps and Certs) in Section K of solicitations with an Internet application. FAR 52.204-8 mandates the use of ORCA on or after January 1, 2005.

CCR and ORCA are complimentary systems. ORCA reuses data pulled from CCR and pre-populates many of the required Representations and Certifications. Then, the vendor completes the remaining Reps and Certs with the understanding that with each solicitation they are certifying to current, accurate and complete information.

Where do I register?

ORCA is an on-line system that is located on the Internet. The ORCA site can be found by going to http://www.bpn.gov and clicking on "Online Reps and Certs Application" on the left side of the screen. If you do not have access to the Internet or feel you need extra Internet help please contact the Procurement Technical Assistance Center (PTAC) (www.dla.mil/db/procurem.htm) closest to you.

What information will I need to complete my ORCA registration?

Two items are needed prior to registration; (1) An active record in CCR, (2) An MPIN from that active CCR record. Visit www.ccr.gov to complete these tasks if you haven't already. More information about the questions asked in ORCA can be found in the ORCA Handbook.

What is an MPIN?

Please refer to the Acquisition.gov website for an explanation. http://www.acquisition.gov/faqs_whatis.cfm

Why is there a questionnaire?

The questionnaire is to help you gather information you need for the clauses. The questionnaire is not the official version. Be sure to read the clauses carefully.

How often do I fill out the questionnaire?

You need to update ORCA at least once a year. You can update or change your Reps and Certs information whenever necessary and the 365 day clock will start over from the day of change.

Why does it say "See Section K" beside the NAICS codes and what does that mean?

the provision number, NAICS code, small business classification, and a short explanation.

When it says "See Section K" beside your NAICS code, that means you have identified NAICS codes with exceptions and there are multiple criteria to determine size standard. SBA cannot pass to ORCA the information of a determination of small business classification for the NAICS codes with exceptions.

Therefore, you must provide the contracting officer in writing a response to Section K of the solicitation with

Why is no signature required when I submit my Reps and Certs?

Formal certification of ORCA data occurs when a vendor signs a solicitation. At that time a vendor is certifying that data in ORCA is current, accurate, and complete.

Where can the SF 330 Part II be submitted electronically?

The SF 330 Part II has been incorporated into the Online Representations and Certifications Application (ORCA). The ORCA link can be found at http://www.bpn.gov.

Why was the SF 330 Part II incorporated in to ORCA?

To ease the burden on vendors, the government determined that the qualifications of A-E firms could be easily submitted via an electronic method. ORCA was chosen as the place to collect and store the 330 Part II information. Now a vendor can enter ORCA at any time and supply both their reps and certs and 330 Part II information. Since the site is available 24/7 the vendor can enter, update or change any of their information with the click of a mouse. If there is no change to the information posted, a company record remains active for 365 days. When a change is made, that record is archived and the current record becomes activated and the expiration date is reset for another 365 days. This reduces time spent and paper collected by both the government and the vendor.

Do I have to register my SF 330 Part II information in ORCA?

Submission of the SF 330 Part II through ORCA is voluntary.

On ORCA, I don't see a direct link to the SF 330 Part II information. Where do I add my information? Question number 24 on the ORCA questionnaire collects all SF 330 information. However, you must fill out all the other answers on the questionnaire, not just #24

Do I	have to answer all	the Reps and Certs	questions o	r just provide	SF330 Pa	art II information?	
Yes,	you must answer	all the Reps and Ce	rts in order to	provide any	SF330 Pa	art II information.	

52.212-3 Offeror Representations and Certifications—Commercial Items.

As prescribed in 12.301(b)(2), insert the following provision:

OFFEROR REPRESENTATIONS AND CERTIFICATIONS—COMMERCIAL ITEMS (MAY 2011)

An offeror shall complete only paragraph (b) of this provision if the offeror has completed the annual representations and certifications electronically at http://orca.bpn.gov. If an offeror has not completed the annual representations and certifications electronically at the ORCA website, the offeror shall complete only paragraphs (c) through (o) of this provision.

(a) Definitions. As used in this provision—

"Economically disadvantaged women-owned small business (EDWOSB) concern" means a small business concern that is at least 51 percent directly and unconditionally owned by, and the management and daily business operations of which are controlled by, one or more women who are citizens of the United States and who are economically disadvantaged in accordance with 13 CFR part 127. It automatically qualifies as a women-owned small business eligible under the WOSB Program.

"Forced or indentured child labor" means all work or service-

- (1) Exacted from any person under the age of 18 under the menace of any penalty for its nonperformance and for which the worker does not offer himself voluntarily; or
- (2) Performed by any person under the age of 18 pursuant to a contract the enforcement of which can be accomplished by process or penalties.

"Inverted domestic corporation", as used in this section, means a foreign incorporated entity which is treated as an inverted domestic corporation under 6 U.S.C. 395(b), i.e., a corporation that used to be incorporated in the United States, or used to be a partnership in the United States, but now is incorporated in a foreign country, or is a subsidiary whose parent corporation is incorporated in a foreign country, that meets the criteria specified in 6 U.S.C. 395(b), applied in accordance with the rules and definitions of 6 U.S.C. 395(c). An inverted domestic corporation as herein defined does not meet the definition of an inverted domestic corporation as defined by the Internal Revenue Code at 26 U.S.C. 7874.

"Manufactured end product" means any end product in Federal Supply Classes (FSC) 1000-9999, except—

- (1) FSC 5510, Lumber and Related Basic Wood Materials;
- (2) Federal Supply Group (FSG) 87, Agricultural Supplies;
- (3) FSG 88, Live Animals;
- (4) FSG 89, Food and Related Consumables;
- (5) FSC 9410, Crude Grades of Plant Materials;
- (6) FSC 9430, Miscellaneous Crude Animal Products, Inedible;
- (7) FSC 9440, Miscellaneous Crude Agricultural and Forestry Products;
- (8) FSC 9610, Ores;
- (9) FSC 9620, Minerals, Natural and Synthetic; and
- (10) FSC 9630, Additive Metal Materials.

"Place of manufacture" means the place where an end product is assembled out of components, or otherwise made or processed from raw materials into the finished product that is to be provided to the Government. If a product is disassembled and reassembled, the place of reassembly is not the place of manufacture.

"Restricted business operations" means business operations in Sudan that include power production activities, mineral extraction activities, oil-related activities, or the production of military equipment, as those terms are defined in the Sudan Accountability and Divestment Act of 2007 (Pub. L. 110-174). Restricted business operations do not include business operations that the person (as that term is defined in Section 2 of the Sudan Accountability and Divestment Act of 2007) conducting the business can demonstrate—

- (1) Are conducted under contract directly and exclusively with the regional government of southern Sudan;
- (2) Are conducted pursuant to specific authorization from the Office of Foreign Assets Control in the Department of the Treasury, or are expressly exempted under Federal law from the requirement to be conducted under such authorization;
 - (3) Consist of providing goods or services to marginalized populations of Sudan;
- (4) Consist of providing goods or services to an internationally recognized peacekeeping force or humanitarian organization;
 - (5) Consist of providing goods or services that are used only to promote health or education; or
 - (6) Have been voluntarily suspended.

"Service-disabled veteran-owned small business concern"—

- (1) Means a small business concern—
- (i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and
- (ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a service-disabled veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.
- (2) Service-disabled veteran means a veteran, as defined in <u>38 U.S.C. 101(2)</u>, with a disability that is service-connected, as defined in <u>38 U.S.C. 101(16)</u>.

"Small business concern" means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and size standards in this solicitation.

"Subsidiary" means an entity in which more than 50 percent of the entity is owned—

- (1) Directly by a parent corporation; or
- (2) Through another subsidiary of a parent corporation.

"Veteran-owned small business concern" means a small business concern—

- (1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and
- (2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned business concern" means a concern which is at least 51 percent owned by one or more women; or in the case of any publicly owned business, at least 51 percent of its stock is owned by one or more women; and whose management and daily business operations are controlled by one or more women.

"Women-owned small business concern" means a small business concern—

(1) That is at least 51 percent owned by one or more women; or, in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and

(2) Whose management and daily business operations are controlled by one or more women.

"Women-owned small business (WOSB) concern eligible under the WOSB Program" (in accordance with 13 CFR part 127), means a small business concern that is at least 51 percent directly and unconditionally owned by, and the management and daily business operations of which are controlled by, one or more women who are citizens of the United States.

(b)

- (1) Annual Representations and Certifications. Any changes provided by the offeror in paragraph (b)(2) of this provision do not automatically change the representations and certifications posted on the Online Representations and Certifications Application (ORCA) website.


[Offeror to identify the applicable paragraphs at (c) through (o) of this provision that the offeror has completed for the purposes of this solicitation only, if any.

These amended representation(s) and/or certification(s) are also incorporated in this offer and are current, accurate, and complete as of the date of this offer.

Any changes provided by the offeror are applicable to this solicitation only, and do not result in an update to the representations and certifications posted on ORCA.]

- (c) Offerors must complete the following representations when the resulting contract will be performed in the United States or its outlying areas. Check all that apply.
- (1) *Small business concern*. The offeror represents as part of its offer that it \square is, \square is not a small business concern.
- (2) Veteran-owned small business concern. [Complete only if the offeror represented itself as a small business concern in paragraph (c)(1) of this provision.] The offeror represents as part of its offer that it \square is, \square is not a veteran-owned small business concern.
- (3) Service-disabled veteran-owned small business concern. [Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (c)(2) of this provision.] The offeror represents as part of its offer that it \square is, \square is not a service-disabled veteran-owned small business concern.
- (4) Small disadvantaged business concern. [Complete only if the offeror represented itself as a small business concern in paragraph (c)(1) of this provision.] The offeror represents, for general statistical purposes, that it \square is, \square is not a small disadvantaged business concern as defined in 13 CFR 124.1002.
- (5) Women-owned small business concern. [Complete only if the offeror represented itself as a small business concern in paragraph (c)(1) of this provision.] The offeror represents that it \square is, \square is not a women-owned small business concern.
- (6) WOSB concern eligible under the WOSB Program. [Complete only if the offeror represented itself as a women-owned small business concern in paragraph (c)(5) of this provision.] The offeror represents that—
- (i) It □ is,□ is not a WOSB concern eligible under the WOSB Program, has provided all the required documents to the WOSB Repository, and no change in circumstances or adverse decisions have been issued that affects its eligibility; and

(ii) It \square is, \square is not a joint venture that complies with the requirements of 13 CFR part 127, and the representation in paragraph (c)(6)(i) of this provision is accurate in reference to the WOSB concern or concerns that are participating in the joint venture. [The offeror shall enter the name or names of the WOSB concern or concerns that are participating in the joint venture: ______.] Each WOSB concern participating in the joint venture shall submit a separate signed copy of the WOSB representation. (7) Economically disadvantaged women-owned small business (EDWOSB) concern. [Complete only if the offeror represented itself as a WOSB concern eligible under the WOSB Program in (c)(6) of this provision.] The offeror represents that— (i) It \square is, \square is not an EDWOSB concern eligible under the WOSB Program, has provided all the required documents to the WOSB Repository, and no change in circumstances or adverse decisions have been issued that affects its eligibility; and (ii) It □ is, □ is not a joint venture that complies with the requirements of 13 CFR part 127, and the representation in paragraph (c)(7)(i) of this provision is accurate in reference to the EDWOSB concern or concerns that are participating in the joint venture. The offeror shall enter the name or names of the EDWOSB concern or concerns that are participating in the joint venture: . Each EDWOSB concern participating in the joint venture shall submit a separate signed copy of the EDWOSB representation. Note: Complete paragraphs (c)(8) and (c)(9) only if this solicitation is expected to exceed the simplified acquisition threshold. (8) Women-owned business concern (other than small business concern). [Complete only if the offeror is a women-owned business concern and did not represent itself as a small business concern in paragraph (c)(1) of this provision.] The offeror represents that it \square is a women-owned business concern. (9) Tie bid priority for labor surplus area concerns. If this is an invitation for bid, small business offerors may identify the labor surplus areas in which costs to be incurred on account of manufacturing or production (by offeror or first-tier subcontractors) amount to more than 50 percent of the contract price: (10) [Complete only if the solicitation contains the clause at FAR 52.219-23, Notice of Price Evaluation Adjustment for Small Disadvantaged Business Concerns, or FAR 52.219-25, Small Disadvantaged Business Participation Program—Disadvantaged Status and Reporting, and the offeror desires a benefit based on its disadvantaged status.] (i) General. The offeror represents that either— (A) It □ is, □ is not certified by the Small Business Administration as a small disadvantaged business concern and identified, on the date of this representation, as a certified small disadvantaged business concern in the CCR Dynamic Small Business Search database maintained by the Small Business Administration, and that no material change in disadvantaged ownership and control has occurred since its certification, and, where the concern is owned by one or more individuals claiming disadvantaged status, the net worth of each individual upon whom the certification is based does not exceed \$750,000 after taking into account the applicable exclusions set forth at 13 CFR 124.104(c)(2); or (B) It □ has, □ has not submitted a completed application to the Small Business Administration or a Private Certifier to be certified as a small disadvantaged business concern in accordance with 13 CFR 124, Subpart B, and a decision on that application is pending, and that no material change in disadvantaged ownership and control has occurred since its application was submitted. (ii) Joint Ventures under the Price Evaluation Adjustment for Small Disadvantaged Business Concerns. The offeror represents, as part of its offer, that it is a joint venture that complies with the requirements in 13 CFR 124.1002(f) and that the representation in paragraph (c)(10)(i) of this provision is accurate for the small disadvantaged business concern that is participating in the joint venture. [The



"foreign end product," and "United States" are defined in the clause of this solicitation entitled "Buy

American Act—Supplies."

(2) Forei	ign End Products:	
Line Item No.	Country of Origin	
		[List as necessary]
	Government will evalu	uate offers in accordance with the policies and procedures of
FAR <u>Part 25</u> .	A	
		Trade Agreements—Israeli Trade Act Certificate. (Applies only if the
this solicitation		ican Act—Free Trade Agreements—Israeli Trade Act, is included in
	•	each end product, except those listed in paragraph (g)(1)(ii) or
		estic end product and that for other than COTS items, the offeror has
	•	n origin to have been mined, produced, or manufactured outside the
United States	. The terms "Bahrainia	an, Moroccan, Omani, or Peruvian end product," "commercially
		," "component," "domestic end product," "end product," "foreign end
•	ŭ	ountry," "Free Trade Agreement country end product," "Israeli end
•		efined in the clause of this solicitation entitled "Buy American Act—
`	greements–Israeli Tra	
• •		t the following supplies are Free Trade Agreement country end oroccan, Omani, or Peruvian end products) or Israeli end products as
		tion entitled "Buy American Act—Free Trade Agreements—Israeli
Trade Act":	oldade of this solioita	tion chittee Bay / the hour / loc hade / igreements lorden
	Agreement Country	End Products (Other than Bahrainian, Moroccan, Omani, or Peruvian
) or Israeli End Produ	·
Line Item No.	Country of Origin	
		[List as necessary]
(iii) Th	ne offeror shall list tho	ose supplies that are foreign end products (other than those listed in
paragraph (g)	(1)(ii) of this provision	n) as defined in the clause of this solicitation entitled "Buy American
Act—Free Tra	ide Agreements—Isra	aeli Trade Act." The offeror shall list as other foreign end products
		n the United States that do not qualify as domestic end products, i.e.,
•		item and does not meet the component test in paragraph (2) of the
	lomestic end product.	"
	ign End Products:	
Line Item No.	Country of Origin	

[List as necessary]

- (iv) The Government will evaluate offers in accordance with the policies and procedures of FAR Part 25.
- (2) Buy American Act—Free Trade Agreements—Israeli Trade Act Certificate, Alternate I. If Alternate I to the clause at FAR <u>52.225-3</u> is included in this solicitation, substitute the following paragraph (g)(1)(ii) for paragraph (g)(1)(ii) of the basic provision:

(g)(1)(ii) The offeror certifies that the following supplies are Canadian end products as defined in the clause of this solicitation entitled "Buy American Act—Free Trade Agreements—Israeli Trade Act":

entitled "Buy American A Canadian End Prod	ct—Free Trade Agreements—Israeli Trade Act": ducts:
Line Item N	
	[List as necessary]
(3) Buy America	nn Act—Free Trade Agreements—Israeli Trade Act Certificate, Alternate II. If
Alternate II to the clau	use at FAR <u>52.225-3</u> is included in this solicitation, substitute the following
	r paragraph (g)(1)(ii) of the basic provision:
	ertifies that the following supplies are Canadian end products or Israeli end products as defined in the clause "Buy American Act—Free Trade Agreements—Israeli Trade Act":
Line Item No. Country	
	[List as necessary]
(4) Trade Agree	ments Certificate. (Applies only if the clause at FAR <u>52.225-5</u> , Trade Agreements, is
included in this solicita	ation.)
(i) The offeror	r certifies that each end product, except those listed in paragraph (g)(4)(ii) of this
provision, is a U.Sm	ade or designated country end product, as defined in the clause of this solicitation
entitled "Trade Agree	ments."
(ii) The offero	r shall list as other end products those end products that are not U.Smade or
designated country er	nd products.
Other End Product	s:
Line Item No. Country	of Origin
	

[List as necessary]

(iii) The Government will evaluate offers in accordance with the policies and procedures of FAR Part 25. For line items covered by the WTO GPA, the Government will evaluate offers of U.S.-made

or designated country end products without regard to the restrictions of the Buy American Act. The Government will consider for award only offers of U.S.-made or designated country end products unless the Contracting Officer determines that there are no offers for such products or that the offers for such products are insufficient to fulfill the requirements of the solicitation.

- (h) Certification Regarding Responsibility Matters (Executive Order 12689). (Applies only if the contract value is expected to exceed the simplified acquisition threshold.) The offeror certifies, to the best of its knowledge and belief, that the offeror and/or any of its principals—
- (1) ☐ Are, ☐ are not presently debarred, suspended, proposed for debarment, or declared ineligible for the award of contracts by any Federal agency;
- (2) ☐ Have, ☐ have not, within a three-year period preceding this offer, been convicted of or had a civil judgment rendered against them for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a Federal, state or local government contract or subcontract; violation of Federal or state antitrust statutes relating to the submission of offers; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, tax evasion, violating Federal criminal tax laws, or receiving stolen property;
- (3) \square Are, \square are not presently indicted for, or otherwise criminally or civilly charged by a Government entity with, commission of any of these offenses enumerated in paragraph (h)(2) of this clause; and
- (4) ☐ Have, ☐ have not, within a three-year period preceding this offer, been notified of any delinquent Federal taxes in an amount that exceeds \$3,000 for which the liability remains unsatisfied.
 - (i) Taxes are considered delinquent if both of the following criteria apply:
- (A) The tax liability is finally determined. The liability is finally determined if it has been assessed. A liability is not finally determined if there is a pending administrative or judicial challenge. In the case of a judicial challenge to the liability, the liability is not finally determined until all judicial appeal rights have been exhausted.
- (B) The taxpayer is delinquent in making payment. A taxpayer is delinquent if the taxpayer has failed to pay the tax liability when full payment was due and required. A taxpayer is not delinquent in cases where enforced collection action is precluded.
 - (ii) Examples.
- (A) The taxpayer has received a statutory notice of deficiency, under I.R.C. §6212, which entitles the taxpayer to seek Tax Court review of a proposed tax deficiency. This is not a delinquent tax because it is not a final tax liability. Should the taxpayer seek Tax Court review, this will not be a final tax liability until the taxpayer has exercised all judicial appeal rights.
- (B) The IRS has filed a notice of Federal tax lien with respect to an assessed tax liability, and the taxpayer has been issued a notice under I.R.C. §6320 entitling the taxpayer to request a hearing with the IRS Office of Appeals contesting the lien filing, and to further appeal to the Tax Court if the IRS determines to sustain the lien filing. In the course of the hearing, the taxpayer is entitled to contest the underlying tax liability because the taxpayer has had no prior opportunity to contest the liability. This is not a delinquent tax because it is not a final tax liability. Should the taxpayer seek tax court review, this will not be a final tax liability until the taxpayer has exercised all judicial appeal rights.
- (C) The taxpayer has entered into an installment agreement pursuant to I.R.C. §6159. The taxpayer is making timely payments and is in full compliance with the agreement terms. The taxpayer is not delinquent because the taxpayer is not currently required to make full payment.
- (D) The taxpayer has filed for bankruptcy protection. The taxpayer is not delinquent because enforced collection action is stayed under 11 U.S.C. §362 (the Bankruptcy Code).

- (i) Certification Regarding Knowledge of Child Labor for Listed End Products (Executive Order 13126). [The Contracting Officer must list in paragraph (i)(1) any end products being acquired under this solicitation that are included in the List of Products Requiring Contractor Certification as to Forced or Indentured Child Labor, unless excluded at 22.1503(b).] (1) Listed end products. Listed End Product Listed Countries of Origin (2) Certification. [If the Contracting Officer has identified end products and countries of origin in paragraph (i)(1) of this provision, then the offeror must certify to either (i)(2)(i) or (i)(2)(ii) by checking the appropriate block.] (i) The offeror will not supply any end product listed in paragraph (i)(1) of this provision that was mined, produced, or manufactured in the corresponding country as listed for that product. [] (ii) The offeror may supply an end product listed in paragraph (i)(1) of this provision that was mined, produced, or manufactured in the corresponding country as listed for that product. The offeror certifies that it has made a good faith effort to determine whether forced or indentured child labor was used to mine, produce, or manufacture any such end product furnished under this contract. On the basis of those efforts, the offeror certifies that it is not aware of any such use of child labor.
- (j) *Place of manufacture.* (Does not apply unless the solicitation is predominantly for the acquisition of manufactured end products.) For statistical purposes only, the offeror shall indicate whether the place of manufacture of the end products it expects to provide in response to this solicitation is predominantly—
- (1) ☐ In the United States (Check this box if the total anticipated price of offered end products manufactured in the United States exceeds the total anticipated price of offered end products manufactured outside the United States); or
 - (2) U Outside the United States.
- (k) Certificates regarding exemptions from the application of the Service Contract Act. (Certification by the offeror as to its compliance with respect to the contract also constitutes its certification as to compliance by its subcontractor if it subcontracts out the exempt services.) [The contracting officer is to check a box to indicate if paragraph (k)(1) or (k)(2) applies.]
- [] (1) Maintenance, calibration, or repair of certain equipment as described in FAR $\underline{22.1003-4}(c)(1)$. The offeror \square does \square does not certify that—
- (i) The items of equipment to be serviced under this contract are used regularly for other than Governmental purposes and are sold or traded by the offeror (or subcontractor in the case of an exempt subcontract) in substantial quantities to the general public in the course of normal business operations;
- (ii) The services will be furnished at prices which are, or are based on, established catalog or market prices (see FAR $\underline{22.1003-4}(c)(2)(ii)$) for the maintenance, calibration, or repair of such equipment; and
- (iii) The compensation (wage and fringe benefits) plan for all service employees performing work under the contract will be the same as that used for these employees and equivalent employees servicing the same equipment of commercial customers.
- [] (2) Certain services as described in FAR $\underline{22.1003-4}(d)(1)$. The offeror \Box does \Box does not certify that—
- (i) The services under the contract are offered and sold regularly to non-Governmental customers, and are provided by the offeror (or subcontractor in the case of an exempt subcontract) to the general public in substantial quantities in the course of normal business operations;

- (ii) The contract services will be furnished at prices that are, or are based on, established catalog or market prices (see FAR 22.1003-4(d)(2)(iii));
- (iii) Each service employee who will perform the services under the contract will spend only a small portion of his or her time (a monthly average of less than 20 percent of the available hours on an annualized basis, or less than 20 percent of available hours during the contract period if the contract period is less than a month) servicing the Government contract; and
- (iv) The compensation (wage and fringe benefits) plan for all service employees performing work under the contract is the same as that used for these employees and equivalent employees servicing commercial customers.
 - (3) If paragraph (k)(1) or (k)(2) of this clause applies—
- (i) If the offeror does not certify to the conditions in paragraph (k)(1) or (k)(2) and the Contracting Officer did not attach a Service Contract Act wage determination to the solicitation, the offeror shall notify the Contracting Officer as soon as possible; and
- (ii) The Contracting Officer may not make an award to the offeror if the offeror fails to execute the certification in paragraph (k)(1) or (k)(2) of this clause or to contact the Contracting Officer as required in paragraph (k)(3)(i) of this clause.
- (I) Taxpayer Identification Number (TIN) (26 U.S.C. 6109, 31 U.S.C. 7701). (Not applicable if the offeror is required to provide this information to a central contractor registration database to be eligible for award.)
- (1) All offerors must submit the information required in paragraphs (I)(3) through (I)(5) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M, and implementing regulations issued by the Internal Revenue Service (IRS).
- (2) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the Government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

hereunder may be matched with IRS records to verify the accuracy of the offeror's Thy.
(3) Taxpayer Identification Number (TIN).
□ TIN:
☐ TIN has been applied for.
☐ TIN is not required because:
Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have
income effectively connected with the conduct of a trade or business in the United States and does not
have an office or place of business or a fiscal paying agent in the United States;
Offeror is an agency or instrumentality of a foreign government;
Offeror is an agency or instrumentality of the Federal Government.
(4) Type of organization.
□ Sole proprietorship;
☐ Partnership;
Corporate entity (not tax-exempt);
☐ Corporate entity (tax-exempt);
☐ Government entity (Federal, State, or local);
☐ Foreign government;
☐ International organization per 26 CFR 1.6049-4;

Other

(5) Common parent.
Offeror is not owned or controlled by a common parent;
☐ Name and TIN of common parent:
Name
TIN
(m) Restricted business operations in Sudan. By submission of its offer, the offeror certifies that the
offeror does not conduct any restricted business operations in Sudan.
(n) Prohibition on Contracting with Inverted Domestic Corporations.
(1) Relation to Internal Revenue Code. An inverted domestic corporation as herein defined does not
meet the definition of an inverted domestic corporation as defined by the Internal Revenue Code 25
U.S.C. 7874.
(2) Representation. By submission of its offer, the offeror represents that—
(i) It is not an inverted domestic corporation; and
(ii) It is not a subsidiary of an inverted domestic corporation.
(o) Sanctioned activities relating to Iran.
(1) Unless a waiver is granted or an exception applies as provided in paragraph (o)(2) of this
provision, by submission of its offer, the offeror certifies that the offeror, or any person owned or
controlled by the offeror, does not engage in any activities for which sanctions may be imposed under
section 5 of the Iran Sanctions Act of 1996.
(2) The certification requirement of paragraph (o)(1) of this provision does not apply if—
(i) This solicitation includes a trade agreements certification (e.g., 52.212-3(g) or a comparable
agency provision); and
(ii) The offeror has certified that all the offered products to be supplied are designated country
end products.
(End of provision)
Alternate I (Apr 2011). As prescribed in 12.301(b)(2), add the following paragraph (c)(12) to the basic
provision:
(12) (Complete if the offeror has represented itself as disadvantaged in paragraph (c)(4) or (c)(10) of this provision.)
[The offeror shall check the category in which its ownership falls]:
Black American.
Hispanic American.
Native American (American Indians, Eskimos, Aleuts, or Native Hawaiians).
Asian Dasifia American (persons with crigins from Durms, Theiland, Malaysia, Indonesia, Singapore, Drunei, Ianan, China
Asian-Pacific American (persons with origins from Burma, Thailand, Malaysia, Indonesia, Singapore, Brunei, Japan, China, Taiwan, Laos, Cambodia (Kampuchea), Vietnam, Korea, The Philippines, U.S. Trust Territory of the Pacific Islands (Republic of
Palau), Republic of the Marshall Islands, Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, Guam,
Samoa, Macao, Hong Kong, Fiji, Tonga, Kiribati, Tuvalu, or Nauru).
Subcontinent Asian (Asian-Indian) American (persons with origins from India, Pakistan, Bangladesh, Sri Lanka, Bhutan, the
Maldives Islands, or Nepal).
Individual/concern other than one of the preceding

Alternate II (Apr 2011). As prescribed in 12.301(b)(2), add the following paragraph (c)(10)(iii) to the basic provision:

(iii) Address. The offeror represents that its address □ is, □ is not in a region for which a small disadvantaged business procurement mechanism is authorized and its address has not changed since its certification as a small disadvantaged business concern or submission of its application for certification. The list of authorized small disadvantaged business procurement mechanisms and regions is posted at http://www.arnet.gov/References/sdbadjustments.htm. The offeror shall use the list in effect on the date of this solicitation. "Address," as used in this provision, means the address of the offeror as listed on the Small Business Administration's register of small disadvantaged business concerns or the address on the completed application that the concern has submitted to the Small Business Administration or a Private Certifier in accordance with 13 CFR Part 124, subpart B. For joint ventures, "address" refers to the address of the small disadvantaged business concern that is participating in the joint venture.

Consideration and Payment

The Contractor shall be paid as follows. Acceptance as used herein is defined as the successful completion of required tasks and deliverables for the period covered.

Payment	Milestone	Amount
1	Upon Award	\$1,000
2	Acceptance of January Report, verification of Web presence, and successful completion of CDR.	\$1,200
3	Acceptance of March Reports and completion of FRR.	\$500
4	Successful completion of flight and final report	\$300
	Total	\$3,000

Invoices furnished by the contractor shall be submitted in triplicate to:

NASA Shared Services Center (NSSC)

Financial Management Division (FMD)- Accounts Payable

BLDG 1111, C. Road

Stennis Space Center, MS 39529

Email: NSSC-AccountsPayable@nasa.gov

Fax: 866-209-5414

OR

Electronic invoices may be submitted to:

NSSC-AccountsPayable@nasa.gov

An information copy shall be furnished to the following:

George C. Marshall Space Flight Center

Procurement Office, Attn: PS20 (Contract Specialist TBD)

Marshall Space Flight Center, AL 35812

Also send electronically to julie.d.clift@nasa.gov and edward.m.jeffries@nasa.gov

(End of clause)

Delivery Schedule

The Contractor shall deliver the items required to be furnished by the contract as follows:

Item	Description		Delivery Date	Email Address	
No.					
1	Establish a Web presence	1	November 4, 2011	julie.d.clift@nasa.gov	
			November 28, 2011		
2	Reports	3	January 23, 2012	same as above	
			March 26, 2012		
3	Safety plan (updated throughout the program)	TBD	Updates to be submitted	same as above	
	Salety plan (updated throughout the program)	ווו	with reports	Same as above	
4	Reusable rocket and science payload	1	April 2012	same as above	
5	Final report	1	May 2012	same as above	
6	Copies of any other products developed	1	May 2012	same as above	
	(i.e. journal, 3-D animation, video, etc.)	'	Way 2012	Same as above	

(End of clause)

SOLICITATION/CONTRA				1. REQUISITION	NUMBER	F	PAGE 1 OF
2. CONTRACT NO.	3. AWARD/EFFECTIVE	<u> </u>		5. SOLICITATIO	5. SOLICITATION NUMBER		S. SOLICITATION ISSUE DATE
7. FOR SOLICITATION INFORMATION CALL:	a. NAME			b. TELEPHONE calls)	NUMBER (No	collect 8	3. OFFER DUE DATE/ LOCAL TIME
9. ISSUED BY	CODE		10. THIS ACQUISI UNRESTRIC NAICS: SIZE STANDARD:	TED OR S		SINESS SMALL DISABLED VE	
11. DELIVERY FOR FOB DESTINA- TION UNLESS BLOCK IS MARKED SEE SCHEDULE	12. DISCOUNT TERMS	5	RATED	13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700) 13b. RATING 14. METHOD OF SOLICITATION RFQ IFB IFB			ATION RFP
15. DELIVER TO	CODE		16. ADMINISTERE	ED BY		Co	ODE
17a. CONTRACTOR/ CODE OFFEROR TELEPHONE NO.	FACILI CODE	TY	18a. PAYMENT W	ILL BE MADE BY		C	ODE
17b. CHECK IF REMITTANCE OFFER	IS DIFFERENT AND PUT	SUCH ADDRESS IN	18b. SUBMIT INV BELOW IS C	OICES TO ADDRE	SEE ADDENDU		UNLESS BLOCK
19. ITEM NO.	20 SCHEDULE OF SUP			<u> </u>		3. PRICE	24. AMOUNT
<u>`</u>	erse and/or Attach Additio	nal Sheets as Necessa	ary)				
25. ACCOUNTING AND APPROPRIA	ATION DATA			26.	TOTAL AWAR	D AMOUNT (For Govt. Use Only)
27a. SOLICITATION INCORPORATE 27b. CONTRACT/PURCHASE ORDE					ENDA	ARE ARE	ARE NOT ATTACHED ARE NOT ATTACHED
COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DAT DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY (BLO				9. AWARD OF CO ATED BLOCK 5), INCLUE ET FORTH HEREI	YOU DING ANY ADD	R OFFER ON	OFFER I SOLICITATION CHANGES WHICH ARE EMS:
30a. SIGNATURE OF OFFEROR/CC	ONTRACTOR		31a. UNITED STA	TES OF AMERICA	(SIGNATURE	OF CONTRA	CTING OFFICER)
30b. NAME AND TITLE OF SIGNER (Type or print) 30c. DATE SIGNED 3			31b. NAME OF CONTRACTING OFFICER (Type or print) 31c. DATE SIGN			31c. DATE SIGNED	

19. ITEM NO.		20 SCHEDULE OF SUF				21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
32a. QUANTITY IN	N COLUMN	I 21 HAS BEEN							
RECEIVED		NSPECTED ACCEP	PTED, AND CONFORMS	то ті	HE CONT	RACT, EXCEP	T AS NO	ΓΕD:	
32b. SIGNATURE REPRESENT		ORIZED GOVERNMENT	32c. DATE			NTED NAME A		OF AUTHORIZED (GOVERNMENT
32e. MAILING ADI	DRESS OF	AUTHORIZED GOVERNMEN	 REPRESENTATIVE		32f. TEL	PHONE NUMB	ER OF A	JTHORZED GOVERN	NMENT REPRESENTATIVE
					32g. E-N	IAIL OF AUTHO	ORIZED G	OVERNMENT REPR	ESENTATIVE
33. SHIP NUMBER	₹	34. VOUCHER NUMBER	35. AMOUNT VERIFIE	D	36. PAYI	MENT			37. CHECK NUMBER
PARTIAL	FINAL		00111120111011			MPLETE	PARTIA	L FINAL	
38. S/R ACCOUN		39. S/R VOUCHER NUMBER	40. PAID BY						_ I
41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT 42a. RECEIVED BY (Print)									
41b. SIGNATURE	AND TITLE	OF CERTIFYING OFFICER	41c. DATE	42h	RECFIVE	D AT (Location)		
				42c. l	DATE RE	C'D <i>(YY/MM/D</i>	(D) 4	2d. TOTAL CONTAIN	IERS

ACH VENDOR/MISCELLANEOUS PAYMENT ENROLLMENT FORM

This form is used for Automated Clearing House (ACH) payments with an addendum record that contains payment-related information processed through the Vendor Express Program. Recipients of these payments should bring this information to the attention of their financial institution when presenting this form for completion. See reverse for additional instructions.

PRIVACY ACT STATEMENT

The following information is provided to comply with the Privacy Act of 1974 (P.L. 93-579). All information collected on this form is required under the provisions of 31 U.S.C. 3322 and 31 CFR 210. This information will be used by the Treasury Department to transmit payment data, by electronic means to vendor's financial institution. Failure to provide the requested information may delay or prevent the receipt of payments through the Automated Clearing House Payment System.

AGENCY INFORMATION						
FEDERAL PROGRAM AGENCY						
AGENCY IDENTIFIER:	AGENCY LOCATION CODE (ALC):	ACH FORMAT:	СТХ			
ADDRESS:	1	<u> </u>	CIX			
CONTACT PERSON NAME:			TELEPHONE NUMBER:			
ADDITIONAL INFORMATION:			7			
	PAYFF/COMPAI	NY INFORMATION				
NAME			SSN NO. OR TAXPAYER ID NO.			
ADDRESS						
CONTACT PERSON NAME:			TELEPHONE NUMBER:			
	FINIANOIAI INOTITI	ITION INFORMATION				
NAME:	FINANCIAL INSTITU	JTION INFORMATION				
ADDRESS:						
ACH COORDINATOR NAME:			TELEPHONE NUMBER:			
NINE-DIGIT ROUTING TRANSIT	NUMBER:		()			
DEPOSITOR ACCOUNT TITLE:			<u> </u>			
DEPOSITOR ACCOUNT NUMBER	R:		LOCKBOX NUMBER:			
TYPE OF ACCOUNT:						
SIGNATURE AND TITLE OF AUT	CHECKING SAVINGS	LOCKBOX	TELEPHONE NUMBER:			
(Could be the same as ACH Coo						
			SF 3881 /Rev. 2/2003 \			

Instructions for Completing SF 3881 Form

Make three copies of form after completing. Copy 1 is the Agency Copy; copy 2 is the Payee/Company Copy; and copy 3 is the Financial Institution Copy.

- 1. Agency Information Section Federal agency prints or types the name and address of the Federal program agency originating the vendor/miscellaneous payment, agency identifier, agency location code, contact person name and telephone number of the agency. Also, the appropriate box for ACH format is checked.
- 2. Payee/Company Information Section Payee prints or types the name of the payee/company and address that will receive ACH vendor/miscellaneous payments, social security or taxpayer ID number, and contact person name and telephone number of the payee/company. Payee also verifies depositor account number, account title, and type of account entered by your financial institution in the Financial Institution Information Section.
- 3. Financial Institution Information Section Financial institution prints or types the name and address of the payee/company's financial institution who will receive the ACH payment, ACH coordinator name and telephone number, nine-digit routing transit number, depositor (payee/company) account title and account number. Also, the box for type of account is checked, and the signature, title, and telephone number of the appropriate financial institution official are included.

Burden Estimate Statement

The estimated average burden associated with this collection of information is 15 minutes per respondent or recordkeeper, depending on individual circumstances. Comments concerning the accuracy of this burden estimate and suggestions for reducing this burden should be directed to the Financial Management Service, Facilities Management Division, Property and Supply Branch, Room B-101, 3700 East West Highway, Hyattsville, MD 20782 and the Office of Management and Budget, Paperwork Reduction Project (1510-0056), Washington, DC 20503.

National Aeronautics and Space Administration George C. Marshall Space Flight Center Huntsville, AL 35812 www.nasa.gov/marshall

www.nasa.gov